



# **TUFF**<sup>TM</sup> **GRADE**

**2019 PRODUCT CATALOGUE**

**SAFETY SUPPLIES**

**HAND TOOLS**

**SHOP SUPPLIES**

**MATERIAL HANDLING**

**CUTTING TOOLS**

# Why Tuff Grade?

**Tuff Grade is an extensive line of quality private label products exclusive to the most knowledgeable distributors of Industrial, Safety and Fluid Power products to the Canadian MRO market.**

**These best-in-class distributors are the people you rely on every day to help you with your product selection and purchasing decisions. They have applied their knowledge of your needs when creating the strict product specifications that are a hallmark of the Tuff Grade label.**

**From the raw material inputs, to the selection of the manufacturing facility, these experts have monitored the entire process to ensure Tuff Grade products represent a line they are proud to call their own.**

**Available through our exclusive network of more than 300 independently owned-and-operated branches covering every province and territory, you can be confident that Tuff Grade products are stocked close to you.**

**Dissatisfied with the current products you are purchasing?**

**Looking for a means to fulfill a cost-savings mandate?**

**Why not contact your local Tuff Grade distributor to learn more about how Tuff Grade products can help you meet your goals!**

## Safety Supplies



1 - 19

## Hand Tools



20 - 34

## Shop Supplies



35 - 50

## Material Handling



51 - 58

## Cutting Tools



59-65

**WARRANTY** - All Tuff Grade branded products are guaranteed against defects in workmanship and materials. All hand tools and air tools have a lifetime replacement warranty on defective products when the tool is used for the purpose for which it was designed. Any Tuff Grade product that fails within the specified warranty period will be repaired or replaced, at the distributors discretion, at no charge to the end-user. All warranties are void if there is evidence of misuse, abuse or alteration of the product in any way. Incidental or consequential damages are excluded from this warranty.

**WARRANTY PROCEDURE** - Tuff Grade products being submitted for a warranty claim should be returned to place of purchase with proof of purchase and an explanation of the defect.

## DUST MASK

- Lightweight
- Soft, adjustable nose piece for comfortable fit
- Moldable nose-piece for secure fit
- Easy breathing for increased comfort
- Two-Strap design for more secure fit
- Box Quantity: 50



Item Number	N95	Box Qty.	Valve
TGM-001	No	50	No

## N95 PARTICULATE MASKS

- Lightweight
- Soft, adjustable nose piece for comfortable fit
- Moldable nose-piece for secure fit
- Easy breathing for increased comfort
- Two-Strap design for more secure fit
- N95 NIOSH approved
- Box Quantity: 20



Item Number	N95	Box Qty.	Valve
TGM-002	Yes	20	No

- Lightweight
- Soft, adjustable nose piece for comfortable fit
- Moldable nose-piece for secure fit
- Two-Strap design for more secure fit
- Built-in valve improves user comfort
- N95 NIOSH approved
- Box Quantity: 10



Item Number	N95	Box Qty.	Valve
TGM-003	Yes	10	Yes

# SAFETY GLASSES

- Clear Anti-Fog Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating

Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG001	Clear	Clear	Yes



- Clear Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating

Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG002	Clear	Clear	No



- Grey Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating

Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG003	Black	Grey	No



- Indoor / Outdoor Lens
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating.

Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG004	Clear	Indoor / Outdoor	No



## SAFETY GLASSES

- Lens Colour: Clear
- Coating: Anti-Fog Frame
- Colour: Clear
- Temples: Rubber (Black)
- CSA: Z94.3-07 Box
- Pack Quantity:12



Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG005	Clear	Clear	Yes

- Lens Colour: Clear
- Frame Colour: Black
- Temples: Adjustable (Black)
- CSA: Z94.3-07
- Pack Quantity:12



Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG006	Black	Clear	No

- Lens Colour: Clear
- Frame Colour: Clear
- Visitor Specs
- Pack Quantity:12



Item Number	Frame Colour	Lens Colour	Anti-Fog
TGSG007	Clear	Indoor / Outdoor	No

## SAFETY VESTS

- 5-Point Tear Away
- 100% polyester mesh
- CSA Z96-09 Class 2, Level 2
- ANSI / ISEA 107-2004
- WCB Standard 2-1997
- BC MoT T09-05



Item Number	Colour	Size	Back	Reflective Tape
TGVEST-001	Orange	One Size	"X"	2" 3M™ Scotchlite™
TGVEST-002	Lime	One Size	"X"	2" 3M™ Scotchlite™

## SAFETY VESTS

- 5-Point Tear Away
- 100% polyester mesh
- CSA Z96-09 Class 2, Level 2
- ANSI / ISEA 107-2004
- WCB Standard 2-1997
- BC MoT T09-05

Item Number	Colour	Size	Back	Reflective Tape
TGVEST-005	Orange	One Size	"X"	2" Generic
TGVEST-006	Orange	One Size	"X"	2" Generic



- 5-Point Tear Away
- 100% solid polyester
- CSA Z96-09 Class 2, Level 2
- ANSI / ISEA 107-2004
- WCB Standard 2-1997
- BC MoT T09-05


Item Number	Colour	Size	Back	Reflective Tape
TGVEST-003-01	Orange	S / M	"X"	2" 3M™ Scotchlite™
TGVEST-003-03	Orange	L / XL	"X"	2" 3M™ Scotchlite™
TGVEST-003-05	Orange	2XL / 3XL	"X"	2" 3M™ Scotchlite™
TGVEST-004-01	Lime	S / M	"X"	2" 3M™ Scotchlite™
TGVEST-004-03	Lime	L / XL	"X"	2" 3M™ Scotchlite™
TGVEST-004-05	Lime	2XL / 3XL	"X"	2" 3M™ Scotchlite™



## TRAFFIC HARNESS

- 2" reflective tape
- 100% solid nylon
- Meets CSA standards

Item Number	Colour	Size	Back	Reflective Tape
TGVEST-008-01	Orange	Medium	"X"	2" Generic
TGVEST-008-02	Orange	Large	"X"	2" Generic
TGVEST-008-03	Orange	X-Large	"X"	2" Generic
TGVEST-008-04	Orange	2X-Large	"X"	2" Generic
TGVEST-009	Lime	One Size	"X"	2" Generic



## TRAFFIC CONES

- Body is made of durable PVC, with wide body design and black rubber base, for use in various weather conditions
- High visibility safety orange
- Temperature Range: -20°C to +50°C

Item Number	Height	Base	Collar(s)	Weight
TGTC-1801	18"	10-5/8" x 10-5/8"	-	3 lbs.
TGTC-1802	18"	10-5/8" x 10-5/8"	(1) 4"	3 lbs.
TGTC-1803	18"	10-5/8" x 10-5/8"	(1) 6"	3 lbs.
TGTC-2801	28"	14" x 14"	-	7 lbs.
TGTC-2802	28"	14" x 14"	(1) 4"	7 lbs.
TGTC-2803	28"	14" x 14"	(1) 4" & (1) 6"	7 lbs.



## DELINEATOR POSTS

- T-Top Handle
- High visibility safety orange
- UV Inhibitors resist fading of colour
- Two 4-inch high intensity Type 3 reflective bands
- Easy-carry hand hold on bottom of pole
- Top can be used to tie barricade tape or to support standard barricade lights
- 12 lbs recycled black rubber base included

Item Number	Height	Base	Collar(s)	Weight
TGTD-4513	47"	16.5" W x 1.5" H	(2) 4"	13 lbs.



- Loop Top Design
- High visibility safety orange
- Two 4-inch high intensity Type 3 reflective bands
- UV Inhibitors resist fading of colour
- Easy-carry hand hold on bottom of pole
- Top can be used to tie barricade tape or to support standard barricade lights
- 12 lbs recycled black rubber base included



Item Number	Height	Base	Collar(s)	Weight
TGTD-4613	44"	16.5" W x 1.5" H	(2) 4"	13 lbs.



## BARRICADE BAR

- Telescopic barricade bar
- Bar expands length for varied uses / spaces
- Works in combination with standard traffic cones
- High visibility contrasting colours



Item Number	Colour	Size Range
TGTC-CB01	Yellow and Black	45" to 100"
TGTC-CB02	Red and White	40" to 84"

## BARRICADE TAPE

- Bright colours offer visibility to deter access to hazardous areas and help eliminate accidents
- Polyethylene film is strong and durable
- Size: 3" x 1,000'
- Thickness: 0.04mm / 1.57 mil



Dispenser Box		
Item Number	Description	Colour
TGCT-3X1000CAUTION-B	CAUTION	Yellow
TGCT-3X1000DANGER-B	DANGER	Red
TGCT-3X1000DDNE-B	DANGER DO NOT ENTER	Red
TGCT-3X1000DNGRYLW-B	DANGER	Yellow
TGCT-3x1000-CMW	CAUTION MEN WORKING	Yellow




Bulk (Unboxed)		
Item Number	Description	Colour
TGCT-3X1000CAUTIONBU	CAUTION	Yellow
TGCT-3X1000DANGERBU	DANGER	Red

## FLAGGING TAPE

- For indoor or outdoor use
- Mapping, Surveying, Forestry and Tagging
- Non-Adhesive surface leaves behind no residue and easy to tie and tear

Item Number	Colour	Width	Length
TGFT-1X200ORANGE	Orange, Fluorescent	1"	200'
TGFT-1X200RED	Red, Fluorescent	1"	200'



## DISPOSABLE COVERALLS

- Microporous coverall with hood
- Is liquid resistant and offers dry particulate protection
- Lightweight and breathable for user comfort and protection
- Elastic wrists, waist and ankles for secure fit and hold
- Zipper front for easy on / off

Item Number (50 GSM)	Item Number (60 GSM)	Size	Colour
TGDC50-L	TGDC60-L	Large	White
TGDC50-XL	TGDC60-XL	X-Large	White
TGDC50-2XL	TGDC60-2XL	2X-Large	White
TGDC50-3XL	TGDC60-3XL	3X-Large	White



## FSR COVERALLS

- 100% FSR (flame-spread-resistant) treated SMS non-woven material
- Ideal for protection from asbestos, paint spray, dust and noxious splashes
- 2-way zipper front with re-sealable storm flap, elastic cuff, ankle and face line, elastic waist at back to ensure comfortable fit and protection
- Flame spread resistant tested to EN 14116 Index 1
- Complies with Chemical Protective Coveralls Category III EN ISO 13982-1 Type 5 - Protection Against Hazardous Dry Particles
- Complies with Chemical Protective Coveralls Category III EN ISO 13034 Type 6 - Protection Against Light Sprays of Liquid Chemicals

Item Number	Size	Colour	Weight
TGDC50SMS-L	Large	Blue	50 GSM
TGDC50SMS-XL	X-Large	Blue	50 GSM
TGDC50SMS-2XL	2X-Large	Blue	50 GSM
TGDC50SMS-3XL	3X-Large	Blue	50 GSM



## RAINWEAR, FIRE-RETARDANT

- 100% waterproof PVC/Polyester/PVC construction
- Ultrasonically welded seams for durability and waterproofing
- Includes jacket, hood & bib-style pants
- Thickness 35 mil
- Cape back and underarm vents for increased air circulation

Item Number	Size	Colour	Thickness
TGRW-2010	Medium	Yellow	35 mil
TGRW-2020	Large	Yellow	35 mil
TGRW-2030	X-Large	Yellow	35 mil
TGRW-2040	2X-Large	Yellow	35 mil
TGRW-2050	3X-Large	Yellow	35 mil



## GLOVES, DISPOSABLE NITRILE

- 4 mil Nitrile, powder free
- Protects against chemicals and abrasives
- CFIA certified
- Textured finger tips for better grip
- Length: 9.5" (240mm) with beaded cuff

Item Number	Size	Thickness	Colour	Powder
TGG-107-07	Small	4 mil	Light Blue	Powder Free
TGG-107-08	Medium	4 mil	Light Blue	Powder Free
TGG-107-09	Large	4 mil	Light Blue	Powder Free
TGG-107-10	X-Large	4 mil	Light Blue	Powder Free



- 5 mil Nitrile, powder free
- Protects against chemicals and abrasives
- CFIA certified
- Textured finger tips for better grip
- Length: 9.5" (240mm) with beaded cuff

Item Number	Size	Thickness	Colour	Powder
TGG-110-07	Small	5 mil	Dark Blue	Powder Free
TGG-110-08	Medium	5 mil	Dark Blue	Powder Free
TGG-110-09	Large	5 mil	Dark Blue	Powder Free
TGG-110-10	X-Large	5 mil	Dark Blue	Powder Free



- 5 mil Nitrile, powder free
- Protects against chemicals and abrasives
- CFIA certified
- Textured finger tips for better grip
- Length: 9.5" (240mm) with beaded cuff

Item Number	Size	Thickness	Colour	Powder
TGG-120-07	Small	5 mil	Black	Powder Free
TGG-120-08	Medium	5 mil	Black	Powder Free
TGG-120-09	Large	5 mil	Black	Powder Free
TGG-120-10	X-Large	5 mil	Black	Powder Free
TGG-120-11	2X-Large	5 mil	Black	Powder Free



## GLOVES, COATED

- 13 Gauge polyester
- Shell colour: grey
- Palm colour: black
- Nitrile coating provides improved grip and dexterity

Item Number	Size	Shell	Palm	CE
TGG-200-06	X-Small	Polyester	Nitrile	4122
TGG-200-07	Small	Polyester	Nitrile	4122
TGG-200-08	Medium	Polyester	Nitrile	4122
TGG-200-09	Large	Polyester	Nitrile	4122
TGG-200-10	X-Large	Polyester	Nitrile	4122
TGG-200-11	2X-Large	Polyester	Nitrile	4122



- 13 Gauge polyester
- Shell colour: black
- Palm colour: grey
- Foam nitrile coating provides better grip on slick, oily surfaces

Item Number	Size	Shell	Palm	CE
TGG-202-06	X-Small	Polyester	Foam Nitrile	4122
TGG-202-07	Small	Polyester	Foam Nitrile	4122
TGG-202-08	Medium	Polyester	Foam Nitrile	4122
TGG-202-09	Large	Polyester	Foam Nitrile	4122
TGG-202-10	X-Large	Polyester	Foam Nitrile	4122
TGG-202-11	2X-Large	Polyester	Foam Nitrile	4122



- 13 Gauge nylon
- Shell colour: black
- Palm colour: black
- Polyurethane coating provides excellent dexterity

Item Number	Size	Shell	Palm	CE
TGG-206-06	X-Small	Nylon	Polyurethane	4141
TGG-206-07	Small	Nylon	Polyurethane	4141
TGG-206-08	Medium	Nylon	Polyurethane	4141
TGG-206-09	Large	Nylon	Polyurethane	4141
TGG-206-10	X-Large	Nylon	Polyurethane	4141
TGG-206-11	2X-Large	Nylon	Polyurethane	4141



## GLOVES, COATED

- 13 gauge kevlar shell
- Shell colour: yellow
- Palm colour: black
- Kevlar / black nitrile coating combination provides increase cut, abrasion and tear resistance.
- Foam nitrile coating provides better grip on slick, oily surfaces

Item Number	Size	Shell	Palm	CE
TGG-209-07	Small	Kevlar	Foam Nitrile	4342
TGG-209-08	Medium	Kevlar	Foam Nitrile	4342
TGG-209-09	Large	Kevlar	Foam Nitrile	4342
TGG-209-10	X-Large	Kevlar	Foam Nitrile	4342
TGG-209-11	2X-Large	Kevlar	Foam Nitrile	4342



- 13 Gauge HPPE (high performance polyethylene) shell
- Shell colour: Blue
- Palm colour: Black
- ANSI Cut Resistance Level A4
- ANSI Abrasion Resistance Level 3
- Foam nitrile coating provides better grip on slick, oily surfaces

Item Number	Size	Shell	Palm	ANSI
TGG-223-06	Extra-Small	HPPE	Foam Nitrile	A4
TGG-223-07	Small	HPPE	Foam Nitrile	A4
TGG-223-08	Medium	HPPE	Foam Nitrile	A4
TGG-223-09	Large	HPPE	Foam Nitrile	A4
TGG-223-10	X-Large	HPPE	Foam Nitrile	A4
TGG-223-11	2X-Large	HPPE	Foam Nitrile	A4
TGG-223-12	3X-Large	HPPE	Foam Nitrile	A4



- 13 Gauge HPPE (high performance polyethylene) shell
- Shell colour: Salt & Pepper
- Palm colour: Black
- Cut Resistance Level 3
- Polyurethane coating provides excellent dexterity

Item Number	Size	Shell	Palm	CE
TGG-225-07	Small	HPPE	Polyurethane	4343
TGG-225-08	Medium	HPPE	Polyurethane	4343
TGG-225-09	Large	HPPE	Polyurethane	4343
TGG-225-10	X-Large	HPPE	Polyurethane	4343



## GLOVES, COATED

- 10 Gauge terry brushed acrylic liner
- Shell colour: Hi-Viz Yellow
- Palm colour: Black
- Cold weather glove
- Foam latex coating provides better grip on slick, oily surfaces

Item Number	Size	Shell	Palm	CE
TGG-218-07	Small	Acrylic	Foam Latex	1221
TGG-218-08	Medium	Acrylic	Foam Latex	1221
TGG-218-09	Large	Acrylic	Foam Latex	1221
TGG-218-10	X-Large	Acrylic	Foam Latex	1221
TGG-218-11	2X-Large	Acrylic	Foam Latex	1221



- 10 Gauge seamless knit poly-cotton shell
- Shell colour: blue
- Palm colour: blue
- **Cold weather glove**
- Wrinkle finish rubber latex coating provides superior wet or dry grip

Item Number	Size	Shell	Palm	CE
TGG-220-06	X-Small	Poly-Cotton	Rubber Latex	3141
TGG-220-07	Small	Poly-Cotton	Rubber Latex	3141
TGG-220-08	Medium	Poly-Cotton	Rubber Latex	3141
TGG-220-09	Large	Poly-Cotton	Rubber Latex	3141
TGG-220-10	X-Large	Poly-Cotton	Rubber Latex	3141
TGG-220-11	2X-Large	Poly-Cotton	Rubber Latex	3141



## GLOVES, PVC

- 14" Double Dip PVC Gauntlet Glove
- Colour: Green
- Liner: Fleece Jersey
- One-Size Fits All



Item Number	Size	Shell	Lining
TGG-300-OS	One Size	PVC	Cotton Palm



## GLOVES, MECHANICS

- Synthetic leather on palm for improved grip and dexterity
- Reinforced padding on palm for increased impact resistance
- Oil and abrasion resistant
- Breathable spandex fabric on back for snug comfortable fit
- Elastic wrist with hook and loop closure keeps debris out of glove
- Flexible knuckle guards on each finger for added protection



Item Number	Size	Leather	Lining
TGG-520-S	Small	Synthetic	Unlined
TGG-520-M	Medium	Synthetic	Unlined
TGG-520-L	Large	Synthetic	Unlined
TGG-520-XL	X-Large	Synthetic	Unlined

- Full palm deerskin leather is naturally soft and flexible
- Shirred elastic cuff
- Stretch spandex back for snug fit and comfort
- Lightly padded palm



Item Number	Size	Leather	Lining
TGG-516-L	Large	Deer	Unlined
TGG-516-XL	X-Large	Deer	Unlined
TGG-517-L	Large	Deer	3M™ Thinsulate™
TGG-517-XL	X-Large	Deer	3M™ Thinsulate™

## GLOVES, LEATHER

- Fitters glove
- Grain leather provides excellent comfort, durability and strength
- Patch / Two-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton lined



Item Number	Size	Leather	Lining
TGG-400-L	Large	Grain	Cotton Palm

## GLOVES, LEATHER

- Fitters glove
- Grain leather provides excellent comfort, durability and strength
- Full / One-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton Lined

Item Number	Size	Leather	Lining
TGG-401-L	Large	Grain	Cotton Palm
TGG-401-XL	X-Large	Grain	Cotton Palm



- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Patch / two-piece palm
- Starched cuff
- Breathable cotton back provides ventilation for user comfort
- Unlined

Item Number	Size	Leather	Lining
TGG-416-L	Large	Split	Unlined



- Fitters glove with gauntlet cuff
- Split leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton Lined

Item Number	Size	Leather	Lining
TGG-418-L	Large	Split	Cotton



- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Patch / two-piece palm
- Rubberized safety cuff for extended wrist protection
- Breathable cotton back provides ventilation for user comfort
- Cotton lined palm for comfort

Item Number	Size	Leather	Lining
TGG-414-L	Large	Split	Cotton





## GLOVES, LEATHER

- Drivers glove
- Full / one-piece palm
- Shirred elastic cuff
- Grain leather provides excellent comfort, durability and strength
- Cotton lined palm for comfort

Item Number	Size	Leather	Lining
TGG-404-M	Medium	Grain	Cotton
TGG-404-L	Large	Grain	Cotton
TGG-404-XL	X-Large	Grain	Cotton



- Drivers glove
- Full / one-piece palm
- Shirred elastic cuff
- Grain leather provides excellent comfort, durability and strength
- Unlined palm

Item Number	Size	Leather	Lining
TGG-408-M	Medium	Grain	Unlined
TGG-408-L	Large	Grain	Unlined
TGG-408-XL	X-Large	Grain	Unlined



- Fitters glove
- Split leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- BOA lined

Item Number	Size	Leather	Lining
TGG-412-L	Large	Grain	BOA
TGG-412-XL	X-Large	Grain	BOA



- Fitters glove
- Grain leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- Removable 3M™ 100g Thinsulate™ lined for work in cold weather

Item Number	Size	Leather	Lining
TGG-515-L	Large	Grain	3M™ Thinsulate™



## GLOVES, LEATHER

- Fitters glove
- Pigskin leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M™ 100g Thinsulate™ lined for work in cold weather



Item Number	Size	Leather	Lining
TGG-514-L-BLUE	Large	Pigskin	3M™ Thinsulate™
TGG-514-L-RED	Large	Pigskin	3M™ Thinsulate™

- Fitters glove
- Cowhide leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M™ 100g Thinsulate™ lined for work in cold weather



Item Number	Size	Leather	Lining
TGG-513-L	Large	Grain	3M™ Thinsulate™
TGG-513-XL	X-Large	Grain	3M™ Thinsulate™
TGG-513-2XL	2X-Large	Grain	3M™ Thinsulate™

- Fitters glove
- Split cowhide leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M™ 40g Thinsulate™ lined for work in cold weather



Item Number	Size	Leather	Lining
TGG-511-L	Large	Split	3M™ Thinsulate™
TGG-511-XL	X-Large	Split	3M™ Thinsulate™

- Fitters glove
- Split cowhide leather provides excellent comfort, durability and strength
- Full / one-piece palm
- Rubberized safety cuff for extended wrist protection
- 3M™ 100g Thinsulate™ lined for work in cold weather



Item Number	Size	Leather	Lining
TGG-512-L	Large	Split	3M™ Thinsulate™
TGG-512-XL	X-Large	Split	3M™ Thinsulate™

## GLOVES, COTTON

- 9 oz. Brown Jersey glove
- Red fleece lining for extra warmth in cold conditions
- Shirred elastic cuff for easy on/off
- Can be used as a liner or on its own

Item Number	Size	Material	Lining
TGG-604-XL	X-Large	9 oz. Brown Jersey	Red Fleece



- Clute cut design with full canvas back
- Knit wrist helps keep out dirt & debris
- Split cowhide leather palm
- Straight thumb

Item Number	Size	Leather	Lining
TGG-606-L	Large	Split	Unlined



- String knit, reversible, glove
- Regular weight and bleached
- 60% Polyester 40% Cotton
- Knit wrist with colour-coded hem helps keep out dirt & debris

Item Number	Size	Material	Lining
TGG-608-L	Large	Poly-Cotton	Unlined



- Cotton canvas with PVC dots on palm
- PVC dots improved grip of forefinger and palm
- Straight thumb
- Clute cut

Item Number	Size	Material	Lining
TGG-709-L	Large	Cotton Canvas	Unlined



## GLOVES, COTTON

- 8 oz. 100% cotton
- Clut cut design
- Knit wrist helps keep out dirt & debris

Item Number	Size	Material	Lining
TGG-616-L	Large	Cotton	Unlined



## GLOVES, OILBLOC

- Oilbloc treatment for greater oil and water resistant
- Shirred elastic cuff
- Highly stain resistant
- Unlined palm

Item Number	Size	Leather	Lining
TGG-525-S	Small	Goat Grain	Unlined
TGG-525-M	Medium	Goat Grain	Unlined
TGG-525-L	Large	Goat Grain	Unlined
TGG-525-XL	X-Large	Goat Grain	Unlined



- Oilbloc treatment for greater oil and water resistant
- Shirred elastic cuff
- Highly stain resistant
- Cotton lined palm for greater comfort

Item Number	Size	Leather	Lining
TGG-528-S	Small	Goat Grain	Cotton
TGG-528-M	Medium	Goat Grain	Cotton
TGG-528-L	Large	Goat Grain	Cotton
TGG-528-XL	X-Large	Goat Grain	Cotton



## GLOVES, WELDING

- Fully lined welders glove
- Grey split cowhide leather provides excellent comfort, durability and strength
- Gunn cut with wing thumb

Item Number	Size	Leather	Lining	Style
TGG-502-L	Large	Split	Thermal	Three Finger
TGG-507-L	Large	Split	Thermal	Five Finger



## GLOVES, WELDING

- Made of split buffalo leather
- Velcro wrist band for secure fit
- Weltd seams for added durability
- Heat and flame resistant
- Fully lined
- Gunn cut with gauntlet cuff for maximum protection
- One Size Fits All



Item Number	Size	Leather	Lining	Style
TGG-504-L	Large	Buffalo	Cotton	Gunn

- TIG welder's glove
- Made of goat skin leather
- Weltd seams for added durability
- Heat and flame resistant
- Fully lined
- Gunn cut with gauntlet cuff for maximum protection
- One Size Fits All



Item Number	Size	Leather	Lining	Style
TGG-505-L	Large	Goat	Cotton	Gunn

- Made of split buffalo hide leather
- Kevlar Stitching with weltd seams for added durability
- Heat and flame resistant
- Fully lined
- Gunn cut with gauntlet cuff for maximum protection
- One Size Fits All



Item Number	Size	Leather	Lining	Style
TGG-503-L	Large	Buffalo	Cotton	Gunn

- Made of split buffalo hide leather
- Kevlar Stitching with weltd seams for added durability
- Heat and flame resistant
- Fully lined
- Gunn cut with gauntlet cuff for maximum protection
- One Size Fits All



Item Number	Size	Leather	Lining	Style
TGG-508	One Size	Buffalo	Cotton	Five Finger

## GLOVES, WELDING

- Made of split buffalo hide leather
- Welted seams for added durability
- Heat and flame resistant
- Fully lined
- Gunn cut with gauntlet cuff for maximum protection
- One Size Fits All



Item Number	Size	Leather	Lining	Style
TGG-509	One Size	Buffalo	Cotton	Five Finger

## WELDING JACKET

- Made of cow split leather
- Stitched with kevlar thread
- Stainless steel buttons
- 1 internal pocket
- 1 external pen pocket on right arm



Item Number	Size	Leather	Stitching
TGW-102-S	Small	Cow	Kevlar
TGW-102-M	Medium	Cow	Kevlar
TGW-102-L	Large	Cow	Kevlar
TGW-102-XL	X-Large	Cow	Kevlar
TGW-102-2XL	2X-Large	Cow	Kevlar
TGW-102-3XL	3X-Large	Cow	Kevlar

## WELDING APRON

- Made of cow split Leather
- Stitched with Kevlar thread
- Plastic Buckle & Loop System to Tie up the Apron
- Fixed Strap to Hold Apron at Neck
- Size : 60 x 90CM



Item Number	Size	Leather	Dimensions	Stitching
TGW-101	Small	Cow	60 x 90 cm	Kevlar

## 3/8" DRIVE SAE & METRIC SOCKET SET

- 3/8" Drive professional ratchet with quick release
- 72 Tooth ratchet, for minimal movement fastening
- 44 Piece set kit includes:
- 2 Extension bars, 3" & 6"
- 1 1-7/8" universal joint
- 1 8" sliding T-bar
- Blow moulded carrying case

Item Number	Total Pieces	Sockets in Set
TGSS-SET01	44	6 Point Sockets: 3/8" - 3/4" & 8mm - 19mm 6 Point Deep Sockets: 3/8" - 3/4" & 8mm - 19mm



## 1/2" DRIVE SAE & METRIC SOCKET SET

- 1/2" Drive professional ratchet with quick release
- 72 Tooth ratchet, for minimal movement fastening
- 55 Piece set kit includes:
- 2 Extension bars, 5" & 10"
- 1 2-3/4" Universal joint
- 1 10" Sliding T-Bar
- Blow moulded carrying case

Item Number	Total Pieces	Sockets in Set
TGSS-SET02	55	6 point Sockets 3/8" - 1-1/4" & 10mm - 32mm 6 point Deep Sockets 7/16" - 7/8" & 10mm - 21mm



## 3/4" DRIVE SAE SOCKET SET

- 3/4" Drive professional ratchet
- 24 Tooth oval shaped reversible ratchet
- 21 Piece set includes:
- 2 Extension bars 4" & 8"
- 1 18" Sliding T-handle

Item Number	Total Pieces	Sockets in Set
TGSS-SET03	21	6 point Sockets 3/4" - 2"



## SOCKETS, INDIVIDUAL

### 6 Point, 3/8" Drive Sockets

Item Number	Size	Depth
TGSS-01038	3/8"	Regular
TGSS-01044	7/16"	Regular
TGSS-01050	1/2"	Regular
TGSS-01056	9/16"	Regular
TGSS-01063	5/8"	Regular
TGSS-01069	11/16"	Regular
TGSS-01075	3/4"	Regular
TGSS-02038	3/8"	Deep
TGSS-02044	7/16"	Deep
TGSS-02050	1/2"	Deep
TGSS-02056	9/16"	Deep
TGSS-02063	5/8"	Deep
TGSS-02069	11/16"	Deep
TGSS-02075	3/4"	Deep
TGSS-02081	13/16"	Deep
TGSS-01M08	8 mm	Regular
TGSS-01M09	9 mm	Regular
TGSS-01M10	10 mm	Regular
TGSS-01M11	11 mm	Regular
TGSS-01M12	12 mm	Regular
TGSS-01M13	13 mm	Regular
TGSS-01M14	14 mm	Regular
TGSS-01M15	15 mm	Regular
TGSS-01M16	16 mm	Regular
TGSS-01M17	17 mm	Regular
TGSS-01M18	18 mm	Regular
TGSS-01M19	19 mm	Regular
TGSS-02M08	8 mm	Deep
TGSS-02M09	9 mm	Deep
TGSS-02M10	10 mm	Deep
TGSS-02M11	11 mm	Deep
TGSS-02M12	12 mm	Deep
TGSS-02M13	13 mm	Deep
TGSS-02M14	14 mm	Deep
TGSS-02M15	15 mm	Deep

Item Number	Size	Depth
TGSS-02M16	16 mm	Deep
TGSS-02M17	17 mm	Deep
TGSS-02M18	18 mm	Deep
TGSS-02M19	19 mm	Deep

### 6 Point, 1/2" Drive Sockets

Item Number	Size	Depth
TGSS-03038	3/8"	Regular
TGSS-03044	7/16"	Regular
TGSS-03050	1/2"	Regular
TGSS-03056	9/16"	Regular
TGSS-03063	5/8"	Regular
TGSS-03069	11/16"	Regular
TGSS-03075	3/4"	Regular
TGSS-03081	13/16"	Regular
TGSS-03088	7/8"	Regular
TGSS-03094	15/16"	Regular
TGSS-03100	1"	Regular
TGSS-03106	1 1/16"	Regular
TGSS-03113	1 1/8"	Regular
TGSS-03119	1 3/16"	Regular
TGSS-03125	1 1/4"	Regular
TGSS-04044	7/16"	Deep
TGSS-04050	1/2"	Deep
TGSS-04056	9/16"	Deep
TGSS-04063	5/8"	Deep
TGSS-04069	11/16"	Deep
TGSS-04075	3/4"	Deep
TGSS-04088	7/8"	Deep
TGSS-03M10	10 mm	Regular
TGSS-03M11	11 mm	Regular
TGSS-03M12	12 mm	Regular
TGSS-03M13	13 mm	Regular
TGSS-03M14	14 mm	Regular
TGSS-03M15	15 mm	Regular
TGSS-03M16	16 mm	Regular
TGSS-03M17	17 mm	Regular
TGSS-03M18	18 mm	Regular

Item Number	Size	Depth
TGSS-03M19	19 mm	Regular
TGSS-03M21	21 mm	Regular
TGSS-03M22	22 mm	Regular
TGSS-03M23	23 mm	Regular
TGSS-03M24	24 mm	Regular
TGSS-03M27	27 mm	Regular
TGSS-03M30	30 mm	Regular
TGSS-03M32	32 mm	Regular
TGSS-04M10	10 mm	Deep
TGSS-04M12	12 mm	Deep
TGSS-04M13	13 mm	Deep
TGSS-04M14	14 mm	Deep
TGSS-04M15	15 mm	Deep
TGSS-04M16	16 mm	Deep
TGSS-04M17	17 mm	Deep
TGSS-04M18	18 mm	Deep
TGSS-04M19	19 mm	Deep
TGSS-04M21	21 mm	Deep

### 12 Point, 3/4" Drive Sockets

Item Number	Size	Depth
TGSS-05075	3/4"	Regular
TGSS-05088	7/8"	Regular
TGSS-05094	15/16"	Regular
TGSS-05100	1"	Regular
TGSS-05106	1 1/16"	Regular
TGSS-05113	1 1/8"	Regular
TGSS-05119	1 3/16"	Regular
TGSS-05125	1 1/4"	Regular
TGSS-05131	1 5/16"	Regular
TGSS-05138	1 3/8"	Regular
TGSS-05144	1 7/16"	Regular
TGSS-05150	1 1/2"	Regular
TGSS-05163	1 5/8"	Regular
TGSS-05175	1 3/4"	Regular
TGSS-05188	1 7/8"	Regular
TGSS-05200	2"	Regular



## DEEP IMPACT SOCKET SETS

- 6 Point sockets
- Chrome molybdenum steel for strength and durability
- Finish: black phosphate
- Includes blow molded case

Item Number	Total Pieces	Drive	Sockets in Set
TGSS-001	11	1/2"	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
TGSS-002	11	1/2"	10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 22mm 24mm
TGSS-007	8	3/4"	1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"
TGSS-008	8	3/4"	24mm, 27mm, 29mm, 30mm, 32mm, 35mm, 36mm, 38mm



## IMPACT SOCKETS, INDIVIDUAL

6 Point, 1/2" Drive Sockets		
Item Number	Size	Depth
TGSS-001038	3/8"	Deep
TGSS-001044	7/16"	Deep
TGSS-001050	1/2"	Deep
TGSS-001056	9/16"	Deep
TGSS-001063	5/8"	Deep
TGSS-001069	11/16"	Deep
TGSS-001075	3/4"	Deep
TGSS-001081	13/16"	Deep
TGSS-001088	7/8"	Deep
TGSS-001094	15/16"	Deep
TGSS-001100	1"	Deep
TGSS-002010	10 mm	Deep
TGSS-002012	12 mm	Deep

6 Point, 1/2" Drive Sockets		
Item Number	Size	Depth
TGSS-002013	13 mm	Deep
TGSS-002014	14 mm	Deep
TGSS-002015	15 mm	Deep
TGSS-002017	17 mm	Deep
TGSS-002018	18 mm	Deep
TGSS-002019	19 mm	Deep
TGSS-002021	21 mm	Deep
TGSS-002022	22 mm	Deep
TGSS-002024	24 mm	Deep
6 Point, 3/4" Drive Sockets		
TGSS-007100	1"	Deep
TGSS-007106	1-1/16"	Deep
TGSS-007113	1-1/8"	Deep

6 Point, 3/4" Drive Sockets		
Item Number	Size	Depth
TGSS-007125	1-1/4"	Deep
TGSS-007131	1-5/16"	Deep
TGSS-007138	1-3/8"	Deep
TGSS-007144	1-7/16"	Deep
TGSS-007150	1-1/2"	Deep
TGSS-008024	24 mm	Deep
TGSS-008027	27 mm	Deep
TGSS-008029	29 mm	Deep
TGSS-008030	30 mm	Deep
TGSS-008032	32 mm	Deep
TGSS-008035	35 mm	Deep
TGSS-008036	36 mm	Deep
TGSS-008038	38 mm	Deep

## COMBINATION WRENCH SETS

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes fastener damage and increases torque
- Premium canvas pouch

Item Number	Total Pieces	Sizes in Set
TGCW-SET-16PC	16	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
TGCW-SET-10PC	10	1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2"



## COMBINATION WRENCHES

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes fastener damage and increases torque



Item Number	Size	Length
TGCW-025	1/4"	5.08"
TGCW-031	5/16"	5.55"
TGCW-037	3/8"	6.30"
TGCW-044	7/16"	6.57"
TGCW-050	1/2"	7.20"
TGCW-056	9/16"	7.51"
TGCW-063	5/8"	8.39"
TGCW-069	11/16"	8.90"
TGCW-075	3/4"	9.84"
TGCW-081	13/16"	10.47"
TGCW-088	7/8"	11.57"
TGCW-094	15/16"	12.08"
TGCW-100	1"	13.38"
TGCW-106	1-1/16"	14.21"

Item Number	Size	Length
TGCW-113	1-1/8"	16.37"
TGCW-125	1-1/4"	16.77"
TGCW-131	1-5/16"	17.71"
TGCW-137	1-3/8"	17.51"
TGCW-144	1-7/16"	18.70"
TGCW-150	1-1/2"	18.50"
TGCW-162	1-5/8"	19.68"
TGCW-168	1-11/16"	21.06"
TGCW-175	1-3/4"	21.06"
TGCW-181	1-13/16"	21.06"
TGCW-187	1-7/8"	22.55"
TGCW-200	2"	23.74"
TGCW-213	2-1/8"	26.57"
TGCW-225	2-1/4"	26.57"
TGCW-237	2-3/8"	27.55"
TGCW-250	2-1/2"	27.55"

## METRIC COMBINATION WRENCH SETS

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes fastener damage and increases torque
- Premium canvas pouch

Item Number	Total Pieces	Sizes in Set
TGCW-SET-22PC-MET	22	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 30mm, 32mm
TGCW-SET-16PC-MET	16	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm
TGCW-SET-14PC-MET	14	7mm, 8mm, 10mm, 12mm, 14mm, 16mm, 17mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm



## METRIC COMBINATION WRENCHES

- Chrome vanadium steel alloy for strength and durability
- Polished mirror finish for quick cleaning
- 12 Point design minimizes fastener damage and increases torque



Item Number	Size	Length
TGCW-M007	7 mm	5.28"
TGCW-M008	8 mm	5.55"
TGCW-M009	9 mm	5.91"
TGCW-M010	10 mm	6.30"
TGCW-M011	11 mm	6.55"
TGCW-M012	12 mm	6.85"
TGCW-M013	13 mm	7.20"
TGCW-M014	14 mm	7.52"
TGCW-M015	15 mm	7.95"
TGCW-M016	16 mm	8.39"

Item Number	Size	Length
TGCW-M017	17 mm	8.90"
TGCW-M018	18 mm	9.41"
TGCW-M019	19 mm	9.84"
TGCW-M020	20 mm	10.47"
TGCW-M021	21 mm	11.02"
TGCW-M022	22 mm	11.57"
TGCW-M023	23 mm	12.07"
TGCW-M024	24 mm	12.55"
TGCW-M026	26 mm	13.38"
TGCW-M027	27 mm	14.21"
TGCW-M028	28 mm	14.21"
TGCW-M030	30 mm	16.37"
TGCW-M032	32 mm	16.77"

## ADJUSTABLE WRENCHES

- Chrome Vanadium Steel for strength and durability
- Chrome Finish
- Cushioned grip for added comfort and visibility or choose plain grip

Item Number	Handle	Length	Max Jaw Width
IDI-AW6	Plain Grip	6"	15/16"
IDI-AW8	Plain Grip	8"	1-1/8"
IDI-AW10	Plain Grip	10"	1-5/16"
IDI-AW12	Plain Grip	12"	1-1/2"
IDI-AW15	Plain Grip	15"	1-11/16"
IDI-AW18	Plain Grip	18"	2-1/16"
IDI-AWC06	Cushion Grip	6"	15/16"
IDI-AWC08	Cushion Grip	8"	1-1/8"
IDI-AWC10	Cushion Grip	10"	1-5/16"
IDI-AWC12	Cushion Grip	12"	1-1/2"
IDI-AWC18	Cushion Grip	18"	2-1/16"



## PIPE WRENCHES, STRAIGHT HANDLE

- Constructed from cast iron for strength and durability
- Aluminum pipes are lighter than regular steel pipe wrench
- Replaceable Jaws

Item Number	Body	Length	Pipe Capacity
TGPW-08	Cast Iron	8"	1"
TGPW-10	Cast Iron	10"	1.5"
TGPW-12	Cast Iron	12"	2"
TGPW-14	Cast Iron	14"	2"
TGPW-18	Cast Iron	18"	2.5"
TGPW-24	Cast Iron	24"	3"
TGPW-36	Cast Iron	36"	4"
TGPW-48	Cast Iron	48"	6"
TGPW-10-01	Aluminum	10"	1"
TGPW-12-01	Aluminum	12"	1.5"
TGPW-14-01	Aluminum	14"	2"
TGPW-18-01	Aluminum	18"	2.5"
TGPW-24-01	Aluminum	24"	3"
TGPW-36-01	Aluminum	36"	5"
TGPW-48-01	Aluminum	48"	6"



## PLIERS

- Constructed of chrome vanadium steel hardened for maximum strength and durability
- Double-dipped handles provide comfortable use
- Meet ANSI Standards

Item Number	Type	Length	Shipping Weight
TGHT-020-007	Long Nose	7"	.42 lbs
TGHT-020-008	Long Nose	8"	.50 lbs
TGHT-021-006	Bent Nose	6"	.29 lbs
TGHT-021-008	Bent Nose	8"	.50 lbs
TGHT-014-006	Slip Joint	6"	.41 lbs
TGHT-014-008	Slip Joint	8"	.64 lbs
TGHT-014-010	Slip Joint	10"	.91 lbs
TGHT-016-008	Groove Joint	8"	.56 lbs
TGHT-016-010	Groove Joint	10"	.94 lbs
TGHT-016-012	Groove Joint	12"	1.40 lbs
TGHT-018-006	Linesman	6"	.44 lbs
TGHT-018-008	Linesman	8"	.77 lbs
TGHT-031-006	Diagonal Cutter	6"	.31 lbs
TGHT-031-007	Diagonal Cutter	7"	.42 lbs
TGHT-031-008	Diagonal Cutter	8"	.51 lbs



## PLIERS, CURVED JAW LOCKING

- Constructed of chrome vanadium steel hardened for maximum strength and durability
- Bare metal handle
- Curved jaws, knurled tips and wire cutters
- Locks instantly, releases quickly and adjusts to pliers action
- Meets ANSI Standards

Item Number	Type	Length	Min Open	Max Open
TGHT-030-007	Curved Jaw Locking	7"	.67"	1.14"
TGHT-030-010	Curved Jaw Locking	10"	.79"	1.46"



## TIN SNIPS

- Material: 55# Steel
- Cushion grip dipped handle for comfort and improved grip
- Straight, Left and Right cuts

Item Number	Length	Cut Length	Capacity
TGHT-037-001	7-3/4"	1-3/4"	21 gauge
TGHT-037-002	9-3/4"	2-3/8"	20 gauge
TGHT-037-003	11-3/4"	2-3/4"	20 gauge



## AVIATION SNIPS

- Non-Slip Serrated Jaws
- Colour Coded Handles
- Self Opening Spring Function

Item Number	Length	Cut	Colour	Capacity
TGHT-036-001	10"	Straight	Yellow	18 Gauge
TGHT-036-002	10"	Left	Red	18 Gauge
TGHT-036-003	10"	Right	Green	18 Gauge



## WRECKING, UTILITY & PRY BARS

- Wrecking Bar combines roll head and angle pry bar ends for better access in tight work areas
- Tempered Alloy Steel
- Electrostatic Powder Coated Finish
- Pry Bar has a round tapered handle and pinch point end to pry and lever heavy objects

Item Number	Description	Length	Weight
TGHT-040-024	Wrecking Bar	24"	4.25 lbs.
TGHT-040-036	Wrecking Bar	36"	6.25 lbs.
TGHT-044-015	Utility Bar	15"	1.5 lbs.
TGHT-048-060	Pry Bar	60"	18 lbs.



## SCREWDRIVERS

- Chrome Vanadium Steel blades for hardness and high strength
- Black magnetic tip for easy start
- Nonslip plastic handle that's comfortable to grip
- Quick reference handle imprint

Item Number	Head	Head Size	Blade Length
TGSD1101	Phillips	#1	4"
TGSD1204	Phillips	#2	1.5"
TGSD1301	Phillips	#3	6"
TGSD3101	Square	#1	4"
TGSD3204	Square	#2	1.5"
TGSD3301	Square	#3	6"
TGSD5101	Slot	3/16"	4"
TGSD5204	Slot	1/4"	1.5"



## HEX KEY SETS

- Chrome vanadium steel
- Finish: Black oxide
- Rubber handle / holder

Item Number	Style	Pieces	Size Range
TGHT3321	Folding - Regular	8	1.5 - 8 mm
TGHT3331	Folding - Regular	9	5/64" - 1/4"



Item Number	Style	Pieces	Size Range
TGHT3301	Carded - Ball End	9	1.5 - 10 mm
TGHT3311	Carded - Ball End	9	1/16" - 3/8"



## LEVELS



- High strength aluminum body provides maximum durability
- Shock absorbing rubber end caps
- Comfortable rubber grips

Item Number	Type	Length	Width	Height	Vials	Accuracy	Magnetic
TGL-024-01	Box	24"	2.35"	0.95"	3	.001	No
TGL-048-01	Box	48"	2.35"	0.95"	3	.001	No
TGL-072-01	Box	72"	2.35"	0.95"	3	.001	No
TGL-024-03	Box	24"	2.40"	1.125"	3	.0005	No
TGL-048-03	Box	48"	2.40"	1.125"	3	.0005	No
TGL-072-03	Box	72"	2.40"	1.125"	3	.0005	No
TGL-024-04	Box	24"	2.15"	0.975"	3	.0005	Yes
TGL-048-04	Box	48"	2.15"	0.975"	3	.0005	Yes
TGL-072-04	Box	72"	2.15"	0.975"	3	.0005	Yes
TGL-024-05	I-Beam	24"	2.75"	1.125"	3	.0005	Yes
TGL-048-05	I-Beam	48"	2.75"	1.125"	3	.0005	Yes

## LEVEL, TORPEDO



- Tubular vials are accurate within 0.001 per inch
- High strength aluminum frame provides maximum durability
- Shock absorbing rubber end caps
- \*Magnetic edge helps keep level in place on metal surfaces

Item Number	Length	45 Vial	Level Vials	Plumb Vials
TGL-009-20	9"	1	1	1
TGL-009-22*	9"	1	1	1

## LEVEL, LASER



- Tubular vials are accurate within 0.001 per inch
- High strength aluminum frame provides maximum durability
- Shock absorbing rubber end caps
- Digital Module for accurate reads of slope
- Laser Functions: Horizontal Line, Cross-Line Pattern

Item Number	Length	45 Vial	Level Vials	Plumb Vials
TGL-024-09	24"	-	1	1



## TAPE MEASURES

- High impact ABS case for longevity
- Thumb lock for quick lock / release function
- Belt clip for easy storage

Item Number	Length	Width	Magnetic Tip	Graduation
TGTM-001	16' (5m)	3/4" (19mm)	No	Inch Only
TGTM-002	16' (5m)	3/4" (19mm)	No	Inch & Metric
TGTM-003	25' (7.5m)	1" (25mm)	No	Inch Only
TGTM-004	25' (7.5m)	1" (25mm)	No	Inch & Metric
TGTM-005	16' (5m)	3/4" (19mm)	Yes	Inch Only
TGTM-006	16' (5m)	3/4" (19mm)	Yes	Inch & Metric
TGTM-007	25' (7.5m)	1" (25mm)	Yes	Inch Only
TGTM-008	25' (7.5m)	1" (25mm)	Yes	Inch & Metric



- High impact steel body for longevity
- Thumb lock for quick lock / release function
- Belt clip for easy storage
- Magnetic tip

Item Number	Length	Width	Magnetic Tip	Graduation
TGTM-010	18' (5.5m)	3/4" (19mm)	Yes	Inch Only
TGTM-011	18' (5.5m)	3/4" (19mm)	Yes	Inch & Metric
TGTM-012	18' (5.5m)	1" (25mm)	Yes	Inch & Metric
TGTM-013	26' (8m)	1" (25mm)	Yes	Inch & Metric



## HOLE SAW KIT

- M42 Cobalt high speed steel, stays sharp and hard in heavy-duty production / usage
- Variable pitch maintains smoothing cutting in a wide variety of material
- Colour: White
- Arbors: 3/8 Hex for sizes: 9/16 - 1-3/16  
1/2 Hex for sizes: 1-1/4 - 4-3/4

Item Number	Total Pieces	Sizes in Set
TGHS-K019	19	3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 2-5/8", 3", 3-1/2", 3-5/8", 4-1/8", 4-1/4", 4-1/2", 4-3/4"

## HOLE SAWS, INDIVIDUAL

Item Number	Diameter	Max Depth	TPI
TGHS-01075	3/4"	1-1/2"	4-6
TGHS-01088	7/8"	1-1/2"	4-6
TGHS-01113	1-1/8"	1-1/2"	4-6
TGHS-01138	1-3/8"	1-1/2"	4-6
TGHS-01150	1-1/2"	1-1/2"	4-6
TGHS-01175	1-3/4"	1-1/2"	4-6
TGHS-01200	2"	1-1/2"	4-6
TGHS-01225	2-1/4"	1-1/2"	4-6
TGHS-01250	2-1/2"	1-1/2"	4-6
TGHS-01263	2-5/8"	1-1/2"	4-6
TGHS-01300	3"	1-1/2"	4-6
TGHS-01350	3-1/2"	1-1/2"	4-6
TGHS-01363	3-5/8"	1-1/2"	4-6
TGHS-01413	4-1/8"	1-1/2"	4-6
TGHS-01425	4-1/4"	1-1/2"	4-6
TGHS-01450	4-1/2"	1-1/2"	4-6
TGHS-01475	4-3/4"	1-1/2"	4-6

## MANDREL, INDIVIDUAL

Item Number	Hex Size	Min. Size	Max. Size
TGHS-K1	3/8"	9/16"	13/16"
TGHS-K10	1/2"	1-1/4"	7-7/8"



## UTILITY KNIVES

- Heavy-Duty cutter
- Contoured handle
- Stainless steel blade channel
- Replacement blades: TGUK-001-10

Item Number	Description	Replacement Blade
TGUK-001-00	Ratchet Lock Blade, Utility Knife	TGUK-001-10

- Standard Duty cutter
- Stainless steel blade channel
- Attached blade snapper
- Replacement blades: TGUK-018-10

Item Number	Description	Replacement Blade
TGUK-018-00	Slide Lock Blade, Utility Knife	TGUK-018-10

- Heavy-Duty cutter
- Handle holds 5 blades
- Auto-Load blade function
- Stainless steel blade channel
- Replacement blade: TGUK-002-10

Item Number	Description	Replacement Blade
TGUK-002-00	Heavy-Duty, Utility Knife	TGUK-002-10

## REPLACEMENT BLADES

Item Number	Blades Per Pack	Segments Per Blade	Use With Model
TGUK-001-10	10	8	TGUK-001
TGUK-002-10	10	8	TGUK-002
TGUK-018-10	10	12	TGUK-018



## DIGITAL CALIPERS

- Display: SAE & Metric
- Resolution: 0.0005"
- Battery & Case Included
- Fine Adjustment Thumb Wheel
- Function Buttons:
  - SAE/Metric Conversion
  - Zero at Any Position

Item Number	Range	Housing	Resolution
IDI-21151S	0-6" / 150mm	Stainless Steel	0.0005"

Item Number	Range	Housing	Resolution
IDI-P349-101	0-6" / 150mm	Stainless Steel	0.0005"
IP54 Water Proof Rating			

Item Number	Range	Housing	Resolution
IDI-21150S	0-6" / 150mm	Plastic	0.0005"
IDI-21200S	0-8" / 200mm	Plastic	0.0005"



## MICROMETERS

Item Number	Description	Range	Graduation
IDI-208C-001	Outside Micrometer	0 - 25mm	0.01 mm
IDI-208C-002	Outside Micrometer	25 - 50mm	0.01 mm
IDI-208C-003	Outside Micrometer	50 - 75mm	0.01 mm
IDI-208C-535	Outside Micrometer	0 - 1"	0.00005"
IDI-208C-407	3PC Set	-	-

## DIAL INDICATORS, IMPERIAL

Item Number	Diameter	Range	Reading	Graduation
IDI-203-101	1.50"	0 - 0.25"	0-100-0	.001"
IDI-203-102	2.25"	0 - 0.50"	0-100-0	.005"
IDI-203-103	2.25"	0 - 1.00"	0-100-0	.001"

## DIAL INDICATORS, METRIC

Item Number	Diameter	Range	Reading	Graduation
IDI-401-001	40 mm	0 - 3 mm	0-100-0	.01 mm
IDI-404-001	60 mm	0 - 10 mm	0-100-0	.01 mm



## MAGNETIC PICKUP

- 5 lbs. Lift (lbs.)
- Minimum Length: 5-1/4"
- Telescopic Handle extends to over 25-1/2" in length, making it handy for picking up or retrieving small ferrous metal items.

Item Number	Min. Length	Max. Length	Lift
TGMP-005	5-1/4"	25-1/2"	5 lbs



## PNEUMATIC DIE GRINDERS

- Body Construction: Aluminum
- Collet Size: 1/4"

Item Number	Type	CFM	Air Inlet	Free Speed
XQ812A	Standard	4.0	1/4" NPT	25,000 RPM
XQ811A	Mini	2.8	1/4" NPT	22,000 RPM
XQ816	45 Angle	2.8	1/4" NPT	20,000 RPM



## POLYURETHANE SELF-STORING AIR ASSEMBLIES

- Material: Polyurethane
- Colour: Blue
- Temperature: -40°f to +175°f, -40°c to +79°c
- Fitting 360 brass working male pipe swivels on both ends
- Excellent resistance to water, chemicals, oxidation, hydrolysis and ozone.

Item Number	Hose I.D.	Fitting MPT	Length	PSI
TGAH0300	1/4"	1/4"	15'	125
TGAH0301	1/4"	1/4"	25'	125
TGAH0302	1/4"	1/4"	50'	125
TGAH0400	3/8"	3/8"	15'	125
TGAH0401	3/8"	3/8"	25'	125
TGAH0402	3/8"	3/8"	50'	125
TGAH0500	3/8"	1/4"	15'	125
TGAH0501	3/8"	1/4"	25'	125
TGAH0502	3/8"	1/4"	50'	125



## QUALITY P.V.C. HOSE ASSEMBLIES

- Material: RVH hose
- Colour: Red
- Factory crimped ends with 1/4" brass male pipe ends
- Temperature: -15°f to +150°f, -26°c to +66°c

Item Number	Hose I.D.	Fitting MPT	Length	PSI
TGAH0100	1/4"	1/4"	25'	300
TGAH0101	1/4"	1/4"	50'	300
TGAH0200	3/8"	1/4"	25'	300
TGAH0201	3/8"	1/4"	50'	300



# HOSE CLAMPS

- Band: 1/2" 301 Stainless Steel
- Screw: 15/16 Slotted, 301 Stainless Steel
- Housing: 301 Stainless Steel
- Constructed of non-corrosive stainless steel for longer life / usage
- Idea for industrial applications



- Band: 1/2" 201 Stainless Steel
- Screw: 15/16 Slotted, Carbon Steel
- Housing: 301 Stainless Steel
- Constructed of non-corrosive stainless steel for longer life / usage
- Idea for industrial applications

Item Number	Min. Diameter	Max. Diameter
TGHC-01-006	3/8"	7/8"
TGHC-01-008	7/16"	1"
TGHC-01-010	9/16"	1-1/16"
TGHC-01-012	9/16"	1-1/4"
TGHC-01-016	11/16"	1-1/2"
TGHC-01-020	3/4"	1-3/4"
TGHC-01-024	1-1/16"	2"
TGHC-01-028	1-5/16"	2-1/4"
TGHC-01-032	1-9/16"	2-1/2"
TGHC-01-036	1-13/16"	2-3/4"
TGHC-01-040	2 -1/16"	3"
TGHC-01-044	2-5/16"	3-1/4"
TGHC-01-048	2-9/16"	3-1/2"
TGHC-01-052	2-13/16"	3-3/4"
TGHC-01-056	3-1/16"	4"
TGHC-01-060	3-5/16"	4-1/4"
TGHC-01-064	2-1/2"	4-1/2"
TGHC-01-072	3"	5"
TGHC-01-080	3-1/2"	5-1/2"
TGHC-01-084	3-3/4"	5-3/4"
TGHC-01-088	4"	6"
TGHC-01-188	2-1/16"	12 -1/4"

Item Number	Min. Diameter	Max. Diameter
TGHC-03-006	3/8"	7/8"
TGHC-03-008	7/16"	1"
TGHC-03-010	9/16"	1-1/16"
TGHC-03-012	9/16"	1-1/4"
TGHC-03-016	11/16"	1-1/2"
TGHC-03-020	3/4"	1-3/4"
TGHC-03-024	1-1/16"	2"
TGHC-03-028	1-5/16"	2-1/4"
TGHC-03-032	1-9/16"	2-1/2"
TGHC-03-036	1-13/16"	2-3/4"
TGHC-03-040	2-1/16"	3"
TGHC-03-044	2-5/16"	3-1/4"
TGHC-03-048	2-9/16"	3-1/2"
TGHC-03-052	2-13/16"	3-3/4"
TGHC-03-056	3-1/16"	4"

## BRASS BALL VALVES

- Full Port Threaded
- 600 WOG
- CSA, UL, FM, CGA Certified
- Standard Handle

Item Number	Size (inch)	Handle
TG-BBVT-1/4	1/4"	Standard
TG-BBVT-3/8	3/8"	Standard
TG-BBVT-1/2	1/2"	Standard
TG-BBVT-3/4	3/4"	Standard
TG-BBVT-1	1"	Standard
TG-BBVT-1-1/4	1-1/4"	Standard
TG-BBVT-1-1/2	1-1/2"	Standard
TG-BBVT-2	2"	Standard
TG-BBVT-3	3"	Standard
TG-BBVT-4	4"	Standard



- Full Port Threaded
- 600 WOG
- CSA, UL, FM Certified
- Standard Handle
- Lead-Free Body

Item Number	Size (inch)	Handle
TG-BBVT-1/4-L/F	1/4"	Standard
TG-BBVT-3/8-L/F	3/8"	Standard
TG-BBVT-1/2-L/F	1/2"	Standard
TG-BBVT-3/4-L/F	3/4"	Standard
TG-BBVT-1-L/F	1"	Standard
TG-BBVT-1-1/4-L/F	1-1/4"	Standard
TG-BBVT-1-1/2-L/F	1-1/2"	Standard
TG-BBVT-2-L/F	2"	Standard
TG-BBVT-3-L/F	3"	Standard
TG-BBVT-4-L/F	4"	Standard

- Full Port Threaded
- 600 WOG
- CSA, UL, FM Certified
- Locking Handle

Item Number	Size (inch)	Handle
TG-BBVT-1/4-L/O	1/4"	Locking
TG-BBVT-3/8-L/O	3/8"	Locking
TG-BBVT-1/2-L/O	1/2"	Locking
TG-BBVT-3/4-L/O	3/4"	Locking
TG-BBVT-1-L/O	1"	Locking
TG-BBVT-1-1/4-L/O	1-1/4"	Locking
TG-BBVT-1-1/2-L/O	1-1/2"	Locking



# SHOVELS

- All purpose shovel, ideal for most applications
- Durable steel blade engineered to withstand heavy use
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Blade: stamped steel
- Blade width: 11.25"
- Weight: 5.2 lbs.

Item Number	Length	Blade Width	Handle Type
TGAS112D	46.5"	11.25"	D



- Square point shovel is ideal for scooping and moving dirt, gravel and other landscaping material
- Solid ash handle is stained to help prevent chipping and water damage
- Durable black tempered steel blade engineered to withstand heavy use
- Forward turned steps on blade for additional leverage
- Blade width: 10.50"
- Weight: 3.8 lbs.

Item Number	Length	Blade Width	Handle Type
TGHS2L	61.5"	10.50"	Long




- Round point shovel is ideal for digging, planting and moving earth
- Solid ash handle is stained to help prevent chipping and water damage
- Durable black tempered steel blade engineered to withstand heavy use
- Forward turned steps on blade for additional leverage
- Blade Width: 8.50"
- Weight: 4.2 lbs.

Item Number	Length	Blade Width	Handle Type
TGHR2FL	63.5"	8.50"	Long



- Grain Scoop #8
- Ideal of moving grain, seed, feed, fertilizers and other granulated materials
- Handle: hardwood, natural finish
- Handle Length: 48"
- Aluminum blade is lightweight and durable
- Blade width: 13"
- Weight: 3.8 lbs.

Item Number	Length	Blade Width	Handle Type
TGAG08L	65"	13"	Long



# WINTER SHOVELS

- Poly snow shovel
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Poly blade offers flexibility in cold temperatures
- Blade Size: 14.5" x 7.5"

Item Number	Length	Blade Width	Handle Type
TGP139KD	53.5"	14.5" x 7.5"	"D"



- Poly Snow Pusher
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Poly blade offers flexibility in cold temperatures
- Blade Width: 20.5" x 6"

Item Number	Length	Blade Size	Handle Type
TGPP21KD	56"	20.5" x 6"	"D"



- Poly Snow Pusher
- Solid ash handle is stained to help prevent chipping and water damage
- D-Style grip makes using this shovel comfortable and easy
- Poly blade offers flexibility in cold temperatures
- Blade Size: 25.5" x 5"

Item Number	Length	Blade Size	Handle Type
TGPP26KD	56.5"	25.5" x 5"	"D"



## ICE SCRAPER

- Tempered steel sidewalk ice scraper
- Solid ash handle is stained to help prevent chipping and water damage
- Long Handle
- Durable black tempered steel blade engineered to withstand heavy use
- Blade Width: 7".

Item Number	Length	Blade Size	Handle Type
TGHSW7	54"	7" x 1.5"	Long



## RAKES

- Bow Rake are ideal of spreading earth, clearing flower beds and loosening soil
- 14 heavy-duty steel tines
- Handle: hardwood
- Handle length: 54"
- Head: baked enamel finish
- Head width: 13.5"
- Weight: 3 lbs.

Item Number	Length	Blade Width	Handle Type
TGBR14	59"	13.5"	Long



- Springback Lawn Rake
- Steel Tines
- Handle: Hardwood
- Handle Length: 54"
- Head: Tempered Steel
- Head Width: 24"
- Weight: 2.6 lbs.

Item Number	Length	Blade Width	Handle Type
TGLSBR24	73"	24"	Long



## WORKLIGHT, LED

- Rechargeable battery
- Super bright 1,000 lumens
- 3 Functions: High, Low and Flashing-
- USB Output to charge mobile devices
- IP65 Dust proof and water resistant
- Magnetic handle for easy positioning (10 lbs pull)
- 180 adjustable handle
- Operation time:
  - High setting: 3 hours
  - Low setting: 5 - 6 hours
- Body material: Nylon TPR housing with PC lens
- Operating temperature: -20°C - 60°C



Item Number	Watts	Lumens	IP Rating
TGL-001	10 W	1,000	IP65

## FLASHLIGHTS, LED

- 160 Lumens
- 3-Way Function / Switch (low, high, strobe)
- Comes with belt holder & batteries

Item Number	Body	Bulb	Batteries
TGFL-003	Aluminum	Cree	2 - AA



Item Number	Body	Bulb	Batteries*
TGFL-008	Aluminum	8 LED	3 - AAA
TGFL-012	Aluminum	12 LED	3 - AAA
TGFL-101	ABS Plastic	1 NICHIA LED	2 - AA
TGFL-102	Aluminum	3W LED	2 - AA

\* Batteries not included



## AEROSOL CHEMICALS

- Aerosol Cans
- Case Quantity: 12

Item Number	Description	Size
TGC-14-X313	Cold Galvanized Coating	13 oz / 369g
TGC-03-X634	Food Grade Silicone	12 oz / 340g



## MECHANICS VISE

- High quality grey iron casting for increased strength
- Replaceable precision machined hardened steel jaws
- Solid base (Swivel attachment sold separately)

Item Number	Jaw Width	Jaw Opening	Jaw Depth
TGV-003	4"	4"	2-3/8"
TGV-005	5"	5"	2-7/8"
TGV-006	6"	6"	3-1/3"
TGV-008	8"	7-7/8"	4"



## MECHANICS VISE: ACCESSORIES & PARTS

Item Number	Description
TGV-013	Swivel Base for #3 Vise
TGV-015	Swivel Base for #5 Vise
TGV-016	Swivel Base for #6 Vise
TGV-018	Swivel Base for #8 Vise
TGV-023	Replacement Jaw Plates and Screws for #3 Vise
TGV-025	Replacement Jaw Plates and Screws for #5 Vise
TGV-026	Replacement Jaw Plates and Screws for #6 Vise
TGV-028	Replacement Jaw Plates and Screws for #8 Vise



## SILICONE

- General Purpose 100% Silicone
- Interior / Exterior
- Forms a durable weatherproof, watertight seal
- Permanently flexible
- Excellent adhesion



Item Number	Cartridge Size	Colour	High Temperature
TGS300C	300 ml	Clear	No
TGS300W	300 ml	White	No
TGS300B	300 ml	Black	No
TGS300A	300 ml	Aluminim	No
TGS300HTR	300 ml	Red	Yes
TGS300HTB	300 ml	Black	Yes



## GARBAGE BAGS

- Made from 100% recycled resin
- Easy "Grab and Go" dispenser box
- UL Certified



Item Number	Size	Colour	Strength	Case Quantity
TGGB2224RB	22" x 24"	Black	Regular	500
TGGB2224RW	22" x 24"	White	Regular	500
TGGB2636SB	26" x 36"	Black	Strong	200
TGGB3550SB	35" x 50"	Black	Strong	150
TGGB2636XSB	26" x 36"	Black	Extra Strong	125
TGGB3550XSB	35" x 50"	Black	Extra Strong	125
TGGB4248XSB	42" x 48"	Black	Extra Strong	125
TGGB5050XSB	50" x 50"	Black	Extra Strong	125



## PTFE TAPE

- PTFE Tape
- Thickness: 0.075mm
- 0.35 grams/cubic centimeter
- Colour: White

Item Number	Width	Length	Thickness
10TT03-IDI	1/2"	520'	0.075mm



## PAINT BRUSHES

- Handle: Plain wood beaver tail
- Bristles: poly / nylon
- For all paints, stains & varnishes
- Flat sash

Item Number	Width	Thickness	Length
TGB-06-100	1" (25 mm)	7/16" (11 mm)	2-1/4" (57 mm)
TGB-06-200	2" (50 mm)	1/2" (13 mm)	2-1/2" (64 mm)
TGB-06-300	3" (75 mm)	3/4" (19 mm)	2-3/4" (70 mm)
TGB-06-400	4" (100 mm)	3/4" (19 mm)	3" (75 mm)



- Handle: Plain wood
- Bristles: poly / nylon
- For all paints, stains & varnishes
- Angular sash

Item Number	Width	Thickness	Length
TGB-07-150	1-1/2" (38 mm)	1/2" (13 mm)	2-1/4" (57 mm)
TGB-07-200	2" (50 mm)	1/2" (13 mm)	2-1/2" (64 mm)
TGB-07-250	2-1/2" (63 mm)	5/8" (16 mm)	2-3/4" (70 mm)
TGB-07-300	3" (75 mm)	5/8" (16 mm)	2-3/4" (70 mm)



## ECONO PAINT BRUSHES

- General purpose applicator brushes
- Grey bristles for use with oil-based paints, stains and varnishes
- Black plastic handle

Item Number	Width	Thickness	Length
TGB-1/2	1/2" (13 mm)	1/4" (6 mm)	1-3/4" (44 mm)
TGB-1	1" (25 mm)	3/8" (10 mm)	1-3/4" (44 mm)
TGB-1-1/2	1-1/2" (38 mm)	5/16" (8 mm)	1-3/4" (44 mm)
TGB-2	2" (50 mm)	3/8" (10 mm)	1-3/4" (44 mm)
TGB-2-1/2	2-1/2" (63 mm)	1/2" (13 mm)	1-3/4" (44 mm)
TGB-3	3" (75 mm)	1/2" (13 mm)	1-3/4" (44 mm)
TGB-4	4" (100 mm)	11/16" (18 mm)	1-3/4" (44 mm)



## CHIP BRUSHES

- Chip & Oil brushes
- Made with white bristles for use with epoxy, glue, resin, stain, paint remover, cleaners, oils and more.
- Plain wood handle


Item Number	Width	Thickness	Length
TGB-1W	1" (25 mm)	5/16" (8 mm)	1-1/2" (38 mm)
TGB-1-1/2W	1-1/2" (38 mm)	5/16" (8 mm)	1-1/2" (38 mm)
TGB-2W	2" (50 mm)	5/16" (8 mm)	1-1/2" (38 mm)
TGB-3W	3" (75 mm)	3/8" (10 mm)	1-1/2" (38 mm)
TGB-4W	4" (100 mm)	3/8" (10 mm)	1-3/4" (44 mm)



## HIGH DENSITY FOAM BRUSHES

- Plain wood handle
- High density foam will not leave brush marks or loose bristles

Item Number	Width	Thickness	Length
TGB-01-FOAM	1" (25 mm)	1/2" (13 mm)	2-5/8" (66 mm)
TGB-02-FOAM	2" (50 mm)	1/2" (13 mm)	2-5/8" (66 mm)
TGB-03-FOAM	3" (75 mm)	1/2" (13 mm)	2-5/8" (66 mm)
TGB-04-FOAM	4" (100 mm)	1/2" (13 mm)	2-3/4" (70 mm)



## PAINT ROLLER FRAME

- 4-Wire cage
- Threaded handle end for use with extension pole

Item Number	Handle	Frame	Paint Roller / Refill Size
TGB-85-950	Plastic	Metal	9-1/2" (240 mm)



## PAINT ROLLER SLEEVES

Item Number	Width	Pile	Pile (mm)	Colour
TGB-30-010	9-1/2" (240mm)	3/8" (10 mm)	10	White





# CABLE TIES

- Low insertion and pull through force for easier use
- Higher tensile strength achieved from one piece design
- CSA Approved
- UV Black made of weather-resistant nylon good for indoor or outdoor use
- Natural White made of natural nylon for indoor use only



Item Number (100 Package)	Item Number (1,000 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-04-18-9-C	A-04-18-9-M	Natural White	18 lb.	4.10	.095	.042
A-04-18-0-C	A-04-18-0-M	UV Black	18 lb.	4.10	.095	.042
A-06-18-9-C	A-06-18-9-M	Natural White	18 lb.	6.18	.095	.042
A-06-18-0-C	A-06-18-0-M	UV Black	18 lb.	6.18	.095	.042
A-08-18-9-C	A-08-18-9-M	Natural White	18 lb.	8.10	.095	.042
A-08-18-0-C	A-08-18-0-M	UV Black	18 lb.	8.10	.095	.042

Item Number (100 Package)	Item Number (1,000 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-05-40-9-C	A-05-40-9-M	Natural White	40 lb.	5.80	.140	.049
A-05-40-0-C	A-05-40-0-M	UV Black	40 lb.	5.80	.140	.049
A-08-40-9-C	A-08-40-9-M	Natural White	40 lb.	8.80	.140	.049
A-08-40-0-C	A-08-40-0-M	UV Black	40 lb.	8.80	.140	.049
A-11-40-9-C	-	Natural White	40 lb.	10.96	.140	.049
A-11-40-0-C	-	UV Black	40 lb.	10.96	.140	.049
A-14-40-9-C	-	Natural White	40 lb.	14.25	.140	.049
A-14-40-0-C	-	UV Black	40 lb.	14.25	.140	.049

Item Number (100 Package)	Item Number (1,000 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-07-50-9-C	A-07-50-9-M	Natural White	50 lb.	7.50	.180	.052
A-07-50-0-C	A-07-50-0-M	UV Black	50 lb.	7.50	.180	.052
A-11-50-9-C	-	Natural White	50 lb.	11.20	.180	.052
A-11-50-0-C	-	UV Black	50 lb.	11.20	.180	.052
A-14-50-9-C	-	Natural White	50 lb.	14.25	.180	.052
A-14-50-0-C	-	UV Black	50 lb.	14.25	.180	.052
A-17-50-9-C	-	Natural White	50 lb.	17.00	.180	.052
A-17-50-0-C	-	UV Black	50 lb.	17.00	.180	.052

## CABLE TIES

- Low insertion and pull through force for easier use
- Higher tensile strength achieved from one piece design
- CSA Approved
- UV Black made of weather-resistant nylon good for indoor or outdoor use
- Natural White made of natural nylon for indoor use only



Item Number (50 Package)	Item Number (100 Package)	Colour	Tensile Strength	Length	Width	Thickness
-	A-08-120-9-C	Natural White	120 lb.	8.70	.300	.076
-	A-08-120-0-C	UV Black	120 lb.	8.70	.300	.076
-	A-14-120-9-C	Natural White	120 lb.	15.00	.300	.076
-	A-14-120-0-C	UV Black	120 lb.	15.00	.300	.076
A-18-120-9-L	-	Natural White	120 lb.	18.40	.300	.076
A-18-120-0-L	-	UV Black	120 lb.	18.40	.300	.076

Item Number (50 Package)	Item Number (100 Package)	Colour	Tensile Strength	Length	Width	Thickness
A-24-175-9-L	-	Natural White	175 lb.	25.20	.340	.090
A-24-175-0-L	-	UV Black	175 lb.	25.20	.340	.090
A-36-175-9-L	-	Natural White	175 lb.	37.20	.340	.090
A-36-175-0-L	-	UV Black	175 lb.	37.20	.340	.090

## HAND CLEANER

- CFIA Approved

Item Number	Handle	Size
TGHC-001	Orange Citrus Cleaner with Pumice	3.5L
TGHC-003	Pink Lotion Soap	4L



## TARPS, LIGHT DUTY

- Water proof and resistance to chemicals, tearing and mildew
- Weave: 8 x 8
- GSM: 85

Item Number	Dimensions	Colour
TARP-0608-CLEAR	6' X 8'	White
TARP-0810-CLEAR	8' X 10'	White
TARP-1012-CLEAR	10' X 12'	White
TARP-1015-CLEAR	10' X 15'	White
TARP-1520-CLEAR	15' X 20'	White
TARP-1824-CLEAR	18' X 24'	White
TARP-2030-CLEAR	20' X 30'	White
TARP-3040-CLEAR	30' x 40'	White
TARP-3050-CLEAR	30' X 50'	White
TARP-4050-CLEAR	40' X 50'	White
TARP-4060-CLEAR	40' X 60'	White



Item Number	Dimensions	Colour
TARP-0608-BLUE	6' X 8'	Blue
TARP-0810-BLUE	8' X 10'	Blue
TARP-1012-BLUE	10' X 12'	Blue
TARP-1015-BLUE	10' X 15'	Blue
TARP-1520-BLUE	15' X 20'	Blue
TARP-1824-BLUE	18' X 24'	Blue
TARP-2030-BLUE	20' X 30'	Blue
TARP-3040-BLUE	30' X 40'	Blue
TARP-3050-BLUE	30' X 50'	Blue
TARP-4050-BLUE	40' X 50'	Blue
TARP-4060-BLUE	40' X 60'	Blue



## TARPS, MEDIUM DUTY

- Water proof and resistance to chemicals, tearing and mildew
- Weave: 10 x 10
- GSM: 110
- Material: H.D.P.E. (High Density Polyethylene)
- Aluminum Grommets Every 3'
- Polyethylene Rope Reinforced Hems

Item Number	Dimensions	Colour
TARP-0608-BLUE-10x10	6' X 8'	Blue
TARP-0810-BLUE-10x10	8' X 10'	Blue
TARP-1012-BLUE-10x10	10' X 12'	Blue
TARP-1015-BLUE-10x10	10' X 15'	Blue
TARP-1520-BLUE-10x10	15' X 20'	Blue
TARP-1824-BLUE-10x10	18' X 24'	Blue
TARP-2030-BLUE-10x10	20' X 30'	Blue
TARP-3040-BLUE-10x10	30' X 40'	Blue
TARP-3050-BLUE-10x10	30' X 50'	Blue
TARP-4050-BLUE-10x10	40' X 50'	Blue
TARP-4060-BLUE-10x10	40' X 60'	Blue



Item Number	Dimensions	Colour
TARP-0608-CAMO-10x10	6' X 8'	Camouflage
TARP-0810-CAMO-10x10	8' X 10'	Camouflage
TARP-1012-CAMO-10x10	10' X 12'	Camouflage
TARP-1214-CAMO-10x10	12' X 14'	Camouflage
TARP-1520-CAMO-10x10	15' X 20'	Camouflage
TARP-2030-CAMO-10x10	20' X 30'	Camouflage



## TARPS, HEAVY DUTY

- Water proof and resistance to chemicals, tearing and mildew
- Weave: 12 x 12
- GSM: 110
- Material: H.D.P.E. (High Density Polyethylene)
- Aluminum Grommets Every 3'
- Polyethylene Rope Reinforced Hems



Item Number	Dimensions	Colour
TARP-0608-HDB	6' X 8'	Black
TARP-1012-HDB	10' X 12'	Black
TARP-1216-HDB	10' X 12'	Black
TARP-1520-HDB	15' X 20'	Black
TARP-2030-HDB	20' X 30'	Black
TARP-3040-HDB	30' X 40'	Black
TARP-3050-HDB	30' X 50'	Black

Item Number	Dimensions	Colour
TARP-0608-HDG	6' X 8'	Green
TARP-1012-HDG	10' X 12'	Green
TARP-1216-HDG	10' X 12'	Green
TARP-1520-HDG	15' X 20'	Green
TARP-2030-HDG	20' X 30'	Green
TARP-3040-HDG	30' X 40'	Green
TARP-3050-HDG	30' X 50'	Green



## TARPS, LENO

- Waterproof polyethylene with built-in UV sun protection
- Weave: 3 x 3
- Thickness: 8 mil
- Rust-resistant aluminum grommets Every 3'
- Polyethylene rope reinforced hems
- Ideal for recreational applications, storage, transportation, yard work and general purpose outdoor activity

Item Number	Dimensions	Colour
TARP-1520-LENO	15' X 20'	White
TARP-2030-LENO	20' X 30'	White



## ROPE, BULK REELS

- 3-Strand Polypropylene Twisted
- Polypropylene rope is ideal for general use
- Does not absorb water which allows the rope to float
- ABS riveted reels
- Colour: yellow

Item Number	Diameter	Length	Break Strength
TGR-3/16-B	3/16"	2125'	520 lbs
TGR-1/4-B	1/4"	1300'	900 lbs
TGR-5/16-B	5/16"	975'	1,368 lbs
TGR-3/8-B	3/8"	630'	1,944 lbs
TGR-1/2-B	1/2"	335'	3,024 lbs
TGR-5/8-B	5/8"	200'	4,464 lbs
TGR-3/4-B	3/4"	125"	6,120 lbs



## RATCHET STRAPS

- Heavy-Duty ratchet tie-down
- Nylon woven straps
- Handle stamped with WLL
- Strap marked with WLL & BS

Item Number	Size	Breaking Strength	Working Load Limit	Colour
<b>Double-J Hook</b>				
RS-116 CE	16' x 1"	3,000 lbs.	1,500 lbs	Yellow
RS-227 CE	27' x 2"	11,000 lbs.	5,000 lbs	Yellow

Item Number	Size	Breaking Strength	Working Load Limit	Colour
<b>Flat Hook</b>				
RS-227 FLAT CE	27' x 2"	11,000 lbs.	5,000 lbs	Yellow

Item Number	Size	Breaking Strength	Working Load Limit	Colour
<b>Coated "S" Hook</b>				
RS-101	16' x 1"	3,000 lbs.	1,000 lbs	Red
RS-102	16' x 1"	3,000 lbs.	1,000 lbs	Black
RS-103	20' x 1"	3,000 lbs.	1,000 lbs	Yellow



# WEB SLINGS, TYPE 3

- Polyester slings are resistant to most chemicals. Not resistant to acids, aldehydes, ethers and strong alkalins
- Type 3, 2 Ply, double eye

Item Number	Width	Length	Vertical WLL (lbs)	Choker WLL (lbs)	Basket WLL (lbs)
TGWS0104	1"	4'	3,100	2,480	6,200
TGWS0106	1"	6'	3,100	2,480	6,200
TGWS0108	1"	8'	3,100	2,480	6,200
TGWS0110	1"	10'	3,100	2,480	6,200
TGWS0112	1"	12'	3,100	2,480	6,200
TGWS0202	2"	2'	6,200	4,960	12,400
TGWS0204	2"	4'	6,200	4,960	12,400
TGWS0206	2"	6'	6,200	4,960	12,400
TGWS0208	2"	8'	6,200	4,960	12,400
TGWS0210	2"	10'	6,200	4,960	12,400
TGWS0212	2"	12'	6,200	4,960	12,400
TGWS0216	2"	16'	6,200	4,960	12,400
TGWS0218	2"	18'	6,200	4,960	12,400
TGWS0220	2"	20'	6,200	4,960	12,400
TGWS0306	3"	6'	8,800	7,040	17,600
TGWS0308	3"	8'	8,800	7,040	17,600
TGWS0310	3"	10'	8,800	7,040	17,600
TGWS0312	3"	12'	8,800	7,040	17,600
TGWS0312	3"	14'	8,800	7,040	17,600
TGWS0316	3"	16'	8,800	7,040	17,600
TGWS0318	3"	18'	8,800	7,040	17,600
TGWS0320	3"	20'	8,800	7,040	17,600
TGWS0406	4"	6'	11,000	8,800	22,000
TGWS0408	4"	8'	11,000	8,800	22,000
TGWS0410	4"	10'	11,000	8,800	22,000
TGWS0412	4"	12'	11,000	8,800	22,000
TGWS0414	4"	14'	11,000	8,800	22,000
TGWS0416	4"	16'	11,000	8,800	22,000
TGWS0418	4"	18'	11,000	8,800	22,000
TGWS0420	4"	20'	11,000	8,800	22,000



## WEB SLINGS, TYPE 4

- Polyester slings are resistant to most chemicals. Not resistant to acids, aldehydes, ethers and strong alkalins
- Type 4, 2 Ply, double eye

Item Number	Width	Length	Vertical WLL (lbs)	Choker WLL (lbs)	Basket WLL (lbs)
TGWS40204	2"	4'	6,200	4,960	12,400
TGWS40206	2"	6'	6,200	4,960	12,400
TGWS40208	2"	8'	6,200	4,960	12,400
TGWS40210	2"	10'	6,200	4,960	12,400
TGWS40212	2"	12'	6,200	4,960	12,400



## ROUND SLINGS

- Core: Polyester
- Cover: Polyester

Item Number	Colour	Length	Vertical WLL (lbs)	Choker WLL (lbs)	90 Basket WLL (lbs)
TGRS002	Purple	3'	3,000	2,400	6,000
TGRS003	Purple	4'	3,000	2,400	6,000
TGRS005	Purple	6'	3,000	2,400	6,000
TGRS006	Purple	8'	3,000	2,400	6,000
TGRS007	Purple	10'	3,000	2,400	6,000
TGRS008	Purple	12'	3,000	2,400	6,000
TGRS013	Green	3'	6,000	4,800	12,000
TGRS014	Green	4'	6,000	4,800	12,000
TGRS015	Green	5'	6,000	4,800	12,000
TGRS016	Green	6'	6,000	4,800	12,000
TGRS017	Green	8'	6,000	4,800	12,000
TGRS019	Green	12'	6,000	4,800	12,000
TGRS020	Green	15'	6,000	4,800	12,000
TGRS021	Green	20'	6,000	4,800	12,000





## ROUND SLINGS

- Core: Polyester
- Cover: Polyester

Item Number	Colour	Length	Vertical WLL (lbs)	Choker WLL (lbs)	90 Basket WLL (lbs)
TGRS023	Yellow	3'	9,000	7,200	18,000
TGRS024	Yellow	4'	9,000	7,200	18,000
TGRS026	Yellow	6'	9,000	7,200	18,000
TGRS027	Yellow	8'	9,000	7,200	18,000
TGRS028	Yellow	10'	9,000	7,200	18,000
TGRS029	Yellow	12'	9,000	7,200	18,000
TGRS030	Yellow	15'	9,000	7,200	18,000
TGRS031	Yellow	20'	9,000	7,200	18,000
TGRS034	Red	4'	14,000	11,200	28,000
TGRS036	Red	6'	14,000	11,200	28,000
TGRS037	Red	8'	14,000	11,200	28,000
TGRS038	Red	10'	14,000	11,200	28,000
TGRS039	Red	12'	14,000	11,200	28,000
TGRS040	Red	15'	14,000	11,200	28,000
TGRS041	Red	20'	14,000	11,200	28,000
TGRS044	Blue	4'	23,000	18,400	46,000
TGRS046	Blue	6'	23,000	18,400	46,000
TGRS047	Blue	8'	23,000	18,400	46,000
TGRS048	Blue	10'	23,000	18,400	46,000
TGRS049	Blue	12'	23,000	18,400	46,000
TGRS051	Blue	20'	23,000	18,400	46,000



## WINCH STRAPS

- Polyester webbing
- Colour: Yellow
- B.S.: 16,000 lbs.
- W.L.L.: 5,300 lbs.

Item Number	Size	Breaking Strength	Working Load Limit	Hook
RS-430-FLAT CE	4" x 30'	16,000 lbs	5,300 lbs	Flat
RS-440-FLAT CE	4" x 40'	16,000 lbs'	5,300 lbs	Flat
RS-430-DELTA CE	4" x 30'	16,000 lbs'	5,300 lbs	Delta



## CASTERS, RUBBER

- Blue elastic rubber wheels perform well on all types of surfaces
- Temperature range: -20°C to +70°C
- Non-marking wheels



Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-10300-R	TGC-10300-S	TGC-10302-S	3"	1-1/2"	220 lbs.	3-1/16 x 2-3/8
TGC-10400-R	TGC-10400-S	TGC-10402-S	4"	1-1/2"	330 lbs.	3-1/16 x 2-3/8
TGC-10500-R	TGC-10500-S	TGC-10502-S	5"	1-3/4"	440 lbs.	3-1/16 x 2-3/8
TGC-10600-R	TGC-10600-S	TGC-10602-S	6"	2-3/8"	770 lbs.	4-1/8 x 3-1/16

## CASTERS, POLYURETHANE

- Orange polyurethane wheels are suitable for heavier applications
- Temperature range: -20°C to +80°C
- Resistant to most cleaners and moisture
- Precision ball bearings



Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-30400-R	TGC-30400-S	TGC-30402-S	4"	2"	600 lbs	3-3/8 x 2-13/16
TGC-30500-R	TGC-30500-S	TGC-30502-S	5"	2"	750 lbs	3-3/8 x 2-13/16
TGC-30600-R	TGC-30600-S	TGC-30602-S	6"	2"	900 lbs	3-3/8 x 2-13/16
TGC-30800-R	TGC-30800-S	TGC-30802-S	8"	2"	900 lbs	3-3/8 x 2-13/16

## CASTERS, POLYURETHANE

- Medium Duty Applications
- Non-marking, cut & tear resistant
- Chemical resistant
- Smooth, low noise operation



Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-32300-R	TGC-32300-S	TGC-32302-S	3"	1.25"	220 lbs	3-11/16 x 2-7/16
TGC-32400-R	TGC-32400-S	TGC-32402-S	4"	1.25"	264 lbs	3-11/16 x 2-7/16
TGC-32500-R	TGC-32500-S	TGC-32502-S	5"	1.25"	286 lbs	3-11/16 x 2-7/16

## CASTERS, PHENOLIC

- Phenolic wheels are suitable for smooth concrete and can be used for storage (standing) loads without permanent set
- Highly resistant to oil, grease, gasoline and mild acids
- Not recommended for wet applications
- Temperature range: -40°C to +120°C



Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-50400-R	TGC-50400-S	TGC-50402-S	4"	2"	550 lbs	3-3/8 x 2-13/16
TGC-50500-R	TGC-50500-S	TGC-50502-S	5"	2"	700 lbs	3-3/8 x 2-13/16
TGC-50600-R	TGC-50600-S	TGC-50602-S	6"	2"	800 lbs	3-3/8 x 2-13/16
TGC-50800-R	TGC-50800-S	TGC-50802-S	8"	2"	900 lbs	3-3/8 x 2-13/16

## CASTERS, POLYOLEFIN

- Medium Duty Applications
- Non-Marking
- Oil and chemical resistant
- Temperature: -43°C to 82°C



Item Number (RIGID)	Item Number (SWIVEL)	Item Number (SWIVEL w BRAKE)	Diameter	Width	Load Rating	Plate Size
TGC-70250-R	TGC-70250-S	TGC-70252-S	2.5"	1.25"	176 lbs	3-11/16 x 2-7/16
TGC-70300-R	TGC-70300-S	TGC-70302-S	3"	1.25"	220 lbs	3-11/16 x 2-7/16
TGC-70400-R	TGC-70400-S	TGC-70402-S	4"	1.25"	264 lbs	3-11/16 x 2-7/16
TGC-70500-R	TGC-70500-S	TGC-70502-S	5"	1.25"	286 lbs	3-11/16 x 2-7/16

## HAND TRUCKS

- Pneumatic Wheels
- 600 lbs. Capacity
- Tubular Steel Frame
- Powder Coat Finish
- Steel Hubs
- Steel Ball Bearings

Item Number	Handle	Height	Weight
TGHT-001	Dual	46"	20 lbs.
TGHT-003	Loop "P"	52"	23 lbs.
TGHT-011	10" Pneumatic Wheel (Replacement)		



## CONVERTIBLE HAND TRUCK

- 600 lbs. Capacity
- Converts From 2-Wheel Hand Truck to 4-Wheel Flat Bed Trolley
- Steel Frame
- Solid Rubber Wheels

Item Number	Capacity	Height	Weight
TGHT-005	600 lbs.	51"	33 lbs.
TGHT-012	10" Hard Rubber Wheel (Replacement)		



## PALLET TRUCK

- 5,500 lbs. Capacity
- Hand Lever for Selecting "Raise", "Neutral" and "Lower"
- Steel Hub Polyurethane Coated Wheels

Item Number	Capacity	Frame Width	Frame Length
TGPT-52748NS	5,500 lbs.	27"	48"
Replacement Parts Available, Contact Distributor for Details.			



## LINK CHAIN

• NACM 1990

Item Number	Type	Diameter	Finish	Length	Working Load Limit (lbs)	Proof Test (lbs)	Breaking Force Min
LC1/4-EG-GR70	Grade 70	1/4"	Yellow	400'	3,150	6,100	12,100
LC1/4-EG-GR70-800	Grade 70	1/4"	Yellow	800'	3,150	6,100	12,100
LC5/16-EG-GR70	Grade 70	5/16"	Yellow	250'	4,700	9,400	18,800
LC5/16-EG-GR70-500	Grade 70	5/16"	Yellow	500'	4,700	9,400	18,800
LC3/8-EG-GR70	Grade 70	3/8"	Yellow	200'	6,600	12,400	24,700
LC3/8-EG-GR70-400	Grade 70	3/8"	Yellow	400'	6,600	12,400	24,700
LC1/2-EG-GR70	Grade 70	1/2"	Yellow	100'	11,300	20,900	41,800
LC1/2-EG-GR70-200	Grade 70	1/2"	Yellow	200'	11,300	20,900	41,800
LC3/16-GALV-GR30CDN	Grade 30	3/16"	Galvanized	1,000'	800	1,600	3,200
LC1/4-GALV-GR30CDN	Grade 30	1/4"	Galvanized	525'	1,300	2,600	5,200
LC5/16-GALV-GR30CDN	Grade 30	5/16"	Galvanized	300'	1,900	3,400	6,800
LC3/8-GALV-GR30CDN	Grade 30	3/8"	Galvanized	200'	2,650	5,300	10,600
LC3/16-SC-GR30CDN	Grade 30	3/16"	Self Colour	1,000'	800	1,600	3,200
LC1/4-SC-GR30CDN	Grade 30	1/4"	Self Colour	525'	1,300	2,600	5,200
LC3/8-SC-GR30CDN	Grade 30	3/8"	Self Colour	200'	2,650	5,300	10,600
LC1/8-ZINC-GR30CDN	Grade 30	1/8"	Zinc Coated	1300'	375	800	1,600
LC3/16-SC-GR30CDN	Grade 30	3/16"	Zinc Coated	800'	800	1,600	3,200
LC1/4-SC-GR30CDN	Grade 30	1/4"	Zinc Coated	450'	1,300	2,600	5,200
LC5/16-SC-GR30CDN	Grade 30	5/16"	Zinc Coated	275'	1,900	3,400	6,800
LC3/8-SC-GR30CDN	Grade 30	3/8"	Zinc Coated	200'	2,650	5,300	10,600

## GRAB HOOK



Item Number	Size	Material	WLL (lbs)
CGH-1/4	1/4"	Grade 70	3,150
CGH-5/16	5/16"	Grade 70	4,700
CGH-3/8	3/8"	Grade 70	6,660
CGH-1/2	1/2"	Grade 70	11,300

## CLEVIS SLIP HOOK



Item Number	Size	Material	WLL (lbs)
CSH-1/4	1/4"	Grade 70	2,750
CSH-5/16	5/16"	Grade 70	4,300
CSH-3/8	3/8"	Grade 70	5,250
CSH-1/2	1/2"	Grade 70	9,000

# CARBIDE BURRS

- Double Cut
- 1/4" Shank Diameter



Item Number	Shape	Head Diameter	Flute Length
SA-1-IDI	Cylindrical	1/4"	5/8"
SA-2-IDI	Cylindrical	5/16"	3/4"
SA-3-IDI	Cylindrical	3/8"	3/4"
SA-4-IDI	Cylindrical	7/16"	1"
SA-5-IDI	Cylindrical	1/2"	1"
SA-6-IDI	Cylindrical	5/8"	1"
SA-7-IDI	Cylindrical	3/4"	1"
SA-9-IDI	Cylindrical	1"	1"
SA-14-IDI	Cylindrical	3/16"	5/8"
SB-1-IDI	Cylindrical - End Cut	1/4"	5/8"
SB-3-IDI	Cylindrical - End Cut	3/8"	3/4"
SB-5-IDI	Cylindrical - End Cut	1/2"	1"
SC-1-IDI	Cylindrical - Radius Cut	1/4"	5/8"
SC-2-IDI	Cylindrical - Radius Cut	5/16"	3/4"
SC-3-IDI	Cylindrical - Radius Cut	3/8"	3/4"
SC-4-IDI	Cylindrical - Radius Cut	7/16"	1"
SC-5-IDI	Cylindrical - Radius Cut	1/2"	1"
SC-6-IDI	Cylindrical - Radius Cut	5/8"	1"
SD-1-IDI-BUR	Ball	1/4"	3/16"
SD-2-IDI	Ball	5/16"	1/4"
SD-3-IDI	Ball	3/8"	5/16"
SD-5-IDI	Ball	1/2"	7/16"
SD-6-IDI	Ball	5/8"	9/16"
SD-7-IDI	Ball	3/4"	11/16"
SD-14-IDI	Ball	3/16"	1/8"
SE-1-IDI	Oval	1/4"	3/8"
SE-3-IDI	Oval	3/8"	5/8"
SE-5-IDI	Oval	1/2"	7/8"
SE-6-IDI	Oval	5/8"	1"

Item Number	Shape	Head Diameter	Flute Length
SE-7-IDI	Oval	3/4"	1"
SF-1-IDI-BUR	Tree - Radius End	1/4"	5/8"
SF-3-IDI	Tree - Radius End	3/8"	3/4"
SF-5-IDI	Tree - Radius End	1/2"	1"
SF-6-IDI	Tree - Radius End	5/8"	1"
SF-7-IDI	Tree - Radius End	3/4"	1"
SF-13-IDI	Tree - Radius End	1/2"	3/4"
SF-14-IDI	Tree - Radius End	3/4"	1-1/4"
SG-1-IDI	Tree - Pointed End	1/4"	5/8"
SG-2-IDI	Tree - Pointed End	5/16"	3/4"
SG-3-IDI	Tree - Pointed End	3/8"	3/4"
SG-5-IDI	Tree - Pointed End	1/2"	1"
SG-6-IDI	Tree - Pointed End	5/8"	1"
SG-13-IDI	Tree - Pointed End	1/2"	3/4"
SH-1-IDI-BUR	Flame	1/4"	5/8"
SH-2-IDI	Flame	5/16"	3/4"
SH-5-IDI	Flame	1/2"	1-1/4"
SH-6-IDI	Flame	5/8"	1-7/16"
SL-1-IDI	Taper - Radius Cut	1/4"	5/8"
SL-2-IDI	Taper - Radius Cut	5/16"	7/8"
SL-3-IDI	Taper - Radius Cut	3/8"	1-1/16"
SL-4-IDI	Taper - Radius Cut	1/2"	1-1/8"
SL-5-IDI	Taper - Radius Cut	5/8"	1-3/16"
SM-1-IDI	Cone - Pointed End	1/4"	1/2"
SM-2-IDI	Cone - Pointed End	1/4"	3/4"
SM-3-IDI	Cone - Pointed End	1/4"	1"
SM-4-IDI	Cone - Pointed End	3/8"	5/8"
SM-5-IDI	Cone - Pointed End	1/2"	7/8"
SM-6-IDI	Cone - Pointed End	5/8"	1"

## MINIATURE CARBIDE BURRS

- 1/8" Shank Diameter
- 1-1/2" Overall Length

Item Number	Shape	Cut Diameter	Flute Length
SA-41-IDI	Cylindrical	1/16"	1/4"
SA-42-IDI	Cylindrical	3/32"	7/16"
SA-43-IDI	Cylindrical	1/8"	9/16"
SB-43-IDI	Cylindrical - End Cut	1/8"	9/16"
SC-41-IDI	Cylindrical - Radius Cut	3/32"	7/16"
SC-42-IDI	Cylindrical - Radius Cut	1/8"	9/16"
SD-41-IDI	Ball	3/32"	3/32"
SD-42-IDI	Ball	1/8"	1/8"
SE-41-IDI	Oval	1/8"	7/32"
SF-41-IDI	Tree - Radius End	1/8"	1/4"
SF-42-IDI	Tree - Radius End	1/8"	1/2"
SH-41-IDI	Flame	1/8"	1/4"
SL-41-IDI	Taper - Radius Cut	1/8"	3/8"
SL-42-IDI	Taper - Radius Cut	1/8"	1/2"
SM-41-IDI	Cone - Pointed End	1/8"	11/32"
SM-42-IDI	Cone - Pointed End	1/8"	7/16"

- 1/8" Shank Diameter
- 1/4" Cutting Diameter

Item Number	Shape	Cut Diameter	Flute Length
SC-51-IDI	Cylindrical - Radius Cut	1/4"	1/2"
SD-51-IDI	Ball	1/4"	1/4"
SE-51-IDI	Oval	1/4"	3/8"
SG-51-IDI	Tree - Pointed End	1/4"	1/2"

- 1/8" Shank Diameter
- 3/16" Cutting Diameter

Item Number	Shape	Cut Diameter	Flute Length
SA-53-IDI	Cylindrical	3/16"	1/2"
SL-53-IDI	Taper - Radius Cut	3/16"	1/2"

## CARBIDE BURRS, SPECIALTY

- 6" Long Shank
- Double Cut, 1/4" Shank Diameter

Item Number	Shape	Head Diameter	Flute Length
SA-1L6-IDI	Cylindrical	1/4"	1/2"
SA-3L6-IDI	Cylindrical	3/8"	3/4"
SC-1L6-IDI	Cylindrical - Radius Cut	1/4"	1/2"
SC-2L6-IDI	Cylindrical - Radius Cut	5/16"	3/4"
SC-3L6-IDI	Cylindrical - Radius Cut	3/8"	3/4"
SC-5L6-IDI	Cylindrical - Radius Cut	1/2"	1"
SD-1L6-IDI	Ball	1/4"	3/16"
SD-3L6-IDI	Ball	3/8"	5/16"
SE-3L6-IDI	Oval	3/8"	3/4"
SF-3L6-IDI	Tree - Radius End	3/8"	3/4"
SF-5L6-IDI	Tree - Radius End	1/2"	1"
SG-3L6-IDI	Tree - Pointed End	3/8"	3/4"
SG-5L6-IDI	Tree - Pointed End	1/2"	1"
SH-2L6-IDI	Flame	5/16"	3/4"
SL-1L6-IDI	Taper - Radius Cut	1/4"	5/8"
SL-3L6-IDI	Taper - Radius Cut	3/8"	1-1/16"

- Non Ferrous
- Double Cut, 1/4" Shank Diameter

Item Number	Shape	Head Diameter	Flute Length
SA-3NF-IDI	Cylindrical	3/8"	3/4"
SA-5NF-IDI	Cylindrical	1/2"	1"
SC-3NF-IDI	Cylindrical - Radius Cut	3/8"	3/4"
SC-5NF-IDI	Cylindrical - Radius Cut	1/2"	1"
SD-3NF-IDI	Ball	3/8"	-
SD-5NF-IDI	Ball	1/2"	-
SF-3NF-IDI	Tree - Radius End	3/8"	3/4"
SF-5NF-IDI	Tree - Radius End	1/2"	1"
SF-6NF-IDI	Tree - Radius End	5/8"	1"
SL-3NF-IDI	Taper - Radius Cut	3/8"	1-1/16"

# CARBIDE BURR SETS

- Double Cut

Item Number	# of Pieces	Burrs in Set
TGBS-6	8	SA5, SC3, SC5, SD5, SF3, SF5, SG3, SL4
TGBS-7	8	SA-3, SB-3, SC-3, SE-3, SF-3, SG-1, SL-3, SM-2



# STEP DRILLS

- Material: M2
- TIN Coated
- Triple Flat Shank

Item Number	Size	Range	Steps	Increments	Shank
TGDB-10231	#1	1/8" - 1/2"	13	1/32"	1/4"
TGDB-10232	#2	3/16" - 1/2"	6	1/16"	1/4"
TGDB-10233	#3	1/4" - 3/4"	9	1/16"	3/8"
TGDB-10234	#4	3/16" - 7/8"	12	1/16"	3/8"
TGDB-10235	#5	1/4" - 1-3/8"	10	1/8"	1/2"



# DRILL BIT SETS

- Jobber Drills
- Metal Case
- 135° Split Point
- M2 High Speed Steel DIN338
- Size Range: 1/16" to 1/2"

Item Number	Description
TGDB-04-29-S	29 Piece Jobber Drill Bit Set <b>Two Tone (Black/Gold) Finish</b> Size Range: 1/16" to 1/2" (by 1/16" sizes)
TGDB-02-29-S	29 Piece Jobber Drill Bit Set <b>Black Oxide Finish</b> Size Range: 1/16" to 1/2" (by 1/16" sizes)
TGDB-06-1-60-SET	60 Piece Jobber Drill Bit Set <b>Two Tone (Black/Gold) Finish</b> Numbers Size Range: 1 to 60





## PRENTICE DRILL BITS

- 8 Piece Set, Prentice Drills
- Black Oxide Finish
- Metal Case
- 135° Split Point
- M2 High Speed Steel DIN338
- 1/2" Shank
- Triple Flat Shank

Item Number	Description
TGDB-09-08-S	8 Piece Prentice Drill Bit Set Includes: Sizes Included: 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

- Black Oxide Finish
- Prentice Drills
- 135° Split Point
- M2 High Speed Steel DIN338
- 1/2" Shank
- Triple Flat Shank

Item Number	Diameter	Flute Length	Overall Length
TGDB-09-0563	9/16"	3-1/8"	5-7/8"
TGDB-09-0625	5/8"	3-1/8"	5-7/8"
TGDB-09-0688	11/16"	3-1/8"	5-7/8"
TGDB-09-0750	3/4"	3-1/8"	5-7/8"
TGDB-09-0813	13/16"	3-1/8"	5-7/8"
TGDB-09-0875	7/8"	3-1/8"	5-7/8"
TGDB-09-0938	15/16"	3-1/8"	5-7/8"
TGDB-09-1000	1"	3-1/8"	5-7/8"



## DRILL BIT CABINET

- 29 Cabinets
- Labelled with Fractional Sizes
- Plexiglass Doors (front & rear)
- Lockable

Item Number	Description
TGDB-BOX	Drill Bit Cabinet for 29 Fractional Sizes



# DRILL BITS

- Jobber Drills, Fractional Sizes
- 135° Split Point
- M2 High Speed Steel DIN338

## Two Tone Finish, Triple Flat Shank

Item Number	Size	Flute Length	Overall Length
TGDB-04-0015	1/64"	3/16"	13/16"
TGDB-04-0031	1/32"	3/8"	1-3/16"
TGDB-04-0046	3/64"	5/8"	1-1/2"
TGDB-04-0063	1/16"	13/16"	1-11/16"
TGDB-04-0078	5/64"	15/16"	1-15/16"
TGDB-04-0094	3/32"	1-3/16"	2-1/4"
TGDB-04-0109	7/64"	1-5/16"	2-3/8"
TGDB-04-0125	1/8"	1-7/16"	2-9/16"
TGDB-04-0140	9/64"	1-9/16"	2-3/4"
TGDB-04-0156	5/32"	1-11/16"	2-15/16"
TGDB-04-0171	11/64"	1-7/8"	3-1/8"
TGDB-04-0187	3/16"	2-1/16"	3-3/8"
TGDB-04-0203	13/64"	2-1/16"	3-3/8"
TGDB-04-0218	7/32"	2-1/4"	3-11/16"
TGDB-04-0234	15/64"	2-1/4"	3-11/16"
TGDB-04-0250	1/4"	2-1/2"	4"
TGDB-04-0267	17/64"	2-11/16"	4-5/16"
TGDB-04-0281	9/32"	2-11/16"	4-5/16"
TGDB-04-0297	19/64"	2-15/16"	4-5/8"
TGDB-04-0313	5/16"	2-15/16"	4-5/8"
TGDB-04-0328	21/64"	2-15/16"	4-5/8"
TGDB-04-0344	11/32"	3-3/16"	4-15/16"
TGDB-04-0359	23/64"	3-3/16"	4-15/16"
TGDB-04-0375	3/8"	3-7/16"	5-1/4"
TGDB-04-0390	25/64"	3-7/16"	5-1/4"
TGDB-04-0406	13/32"	3-7/16"	5-1/4"
TGDB-04-0422	27/64"	3-11/16"	5-9/16"
TGDB-04-0438	7/16"	3-11/16"	5-9/16"
TGDB-04-0453	29/64"	3-11/16"	5-9/16"
TGDB-04-0469	15/32"	4"	5-15/16"
TGDB-04-0484	31/64"	4"	5-15/16"
TGDB-04-0500	1/2"	4"	5-15/16"

## Black Oxide Finish, Round Shank

Item Number	Size	Flute Length	Overall Length
TGDB-02-0015	1/64"	3/16"	13/16"
TGDB-02-0031	1/32"	3/8"	1-3/16"
TGDB-02-0046	3/64"	5/8"	1-1/2"
TGDB-02-0063	1/16"	13/16"	1-11/16"
TGDB-02-0078	5/64"	15/16"	1-15/16"
TGDB-02-0094	3/32"	1-3/16"	2-1/4"
TGDB-02-0109	7/64"	1-5/16"	2-3/8"
TGDB-02-0125	1/8"	1-7/16"	2-9/16"
TGDB-02-0140	9/64"	1-9/16"	2-3/4"
TGDB-02-0156	5/32"	1-11/16"	2-15/16"
TGDB-02-0171	11/64"	1-7/8"	3-1/8"
TGDB-02-0187	3/16"	2-1/16"	3-3/8"
TGDB-02-0203	13/64"	2-1/16"	3-3/8"
TGDB-02-0218	7/32"	2-1/4"	3-11/16"
TGDB-02-0234	15/64"	2-1/4"	3-11/16"
TGDB-02-0250	1/4"	2-1/2"	4"
TGDB-02-0267	17/64"	2-11/16"	4-5/16"
TGDB-02-0281	9/32"	2-11/16"	4-5/16"
TGDB-02-0297	19/64"	2-15/16"	4-5/8"
TGDB-02-0313	5/16"	2-15/16"	4-5/8"
TGDB-02-0328	21/64"	2-15/16"	4-5/8"
TGDB-02-0344	11/32"	3-3/16"	4-15/16"
TGDB-02-0359	23/64"	3-3/16"	4-15/16"
TGDB-02-0375	3/8"	3-7/16"	5-1/4"
TGDB-02-0390	25/64"	3-7/16"	5-1/4"
TGDB-02-0406	13/32"	3-7/16"	5-1/4"
TGDB-02-0422	27/64"	3-11/16"	5-9/16"
TGDB-02-0438	7/16"	3-11/16"	5-9/16"
TGDB-02-0453	29/64"	3-11/16"	5-9/16"
TGDB-02-0469	15/32"	4"	5-15/16"
TGDB-02-0484	31/64"	4"	5-15/16"
TGDB-02-0500	1/2"	4"	5-15/16"

## DRILL BITS

- Jobber Drills, Number Sizes
- Two Tone Finish (Black/Gold)
- 135° Split Point
- M2 High Speed Steel DIN338
- Triple Flat Shank

Item Number	Size	Flute Length	Overall Length
TGDB-06-001	1	2-5/8"	3-7/8"
TGDB-06-002	2	2-5/8"	3-7/8"
TGDB-06-003	3	2-1/2"	3-3/4"
TGDB-06-004	4	2-1/2"	3-3/4"
TGDB-06-005	5	2-1/2"	3-3/4"
TGDB-06-006	6	2-1/2"	3-3/4"
TGDB-06-007	7	2-7/16"	3-5/8"
TGDB-06-008	8	2-7/16"	3-5/8"
TGDB-06-009	9	2-7/16"	3-5/8"
TGDB-06-010	10	2-7/16"	3-5/8"
TGDB-06-011	11	2-5/16"	3-1/2"
TGDB-06-012	12	2-5/16"	3-1/2"
TGDB-06-013	13	2-5/16"	3-1/2"
TGDB-06-014	14	2-3/16"	3-3/8"
TGDB-06-015	15	2-3/16"	3-3/8"
TGDB-06-016	16	2-3/16"	3-3/8"
TGDB-06-017	17	2-3/16"	3-3/8"
TGDB-06-018	18	2-1/8"	3-1/4"
TGDB-06-019	19	2-1/8"	3-1/4"
TGDB-06-020	20	2-1/8"	3-1/4"
TGDB-06-021	21	2-1/8"	3-1/4"
TGDB-06-022	22	2"	3-1/8"
TGDB-06-023	23	2"	3-1/8"
TGDB-06-024	24	2"	3-1/8"
TGDB-06-025	25	1-7/8"	3"
TGDB-06-026	26	1-7/8"	3"
TGDB-06-027	27	1-7/8"	3"
TGDB-06-028	28	1-3/4"	2-7/8"
TGDB-06-029	29	1-3/4"	2-7/8"
TGDB-06-030	30	1-5/8"	2-3/4"

Item Number	Size	Flute Length	Overall Length
TGDB-06-031	31	1-5/8"	2-3/4"
TGDB-06-032	32	1-5/8"	2-3/4"
TGDB-06-033	33	1-1/2"	2-5/8"
TGDB-06-034	34	1-1/2"	2-5/8"
TGDB-06-035	35	1-1/2"	2-5/8"
TGDB-06-036	36	1-7/16"	2-1/2"
TGDB-06-037	37	1-7/16"	2-1/2"
TGDB-06-038	38	1-7/16"	2-1/2"
TGDB-06-039	39	1-3/8"	2-3/8"
TGDB-06-040	40	1-3/8"	2-3/8"
TGDB-06-041	41	1-3/8"	2-3/8"
TGDB-06-042	42	1-1/4"	2-1/4"
TGDB-06-043	43	1-1/4"	2-1/4"
TGDB-06-044	44	1-1/8"	2-1/8"
TGDB-06-045	45	1-1/8"	2-1/8"
TGDB-06-046	46	1-1/8"	2-1/8"
TGDB-06-047	47	1"	2"
TGDB-06-048	48	1"	2"
TGDB-06-049	49	1"	2"
TGDB-06-050	50	1"	2"
TGDB-06-051	51	1"	2"
TGDB-06-052	52	7/8"	1-7/8"
TGDB-06-053	53	7/8"	1-7/8"
TGDB-06-054	54	7/8"	1-7/8"
TGDB-06-055	55	7/8"	1-7/8"
TGDB-06-056	56	3/4"	1-3/4"
TGDB-06-057	57	3/4"	1-3/4"
TGDB-06-058	58	11/16"	1-5/8"
TGDB-06-059	59	11/16"	1-5/8"
TGDB-06-060	60	11/16"	1-5/8"

## DRILL BITS

- Jobber Drills, Letter Sizes
- Two Tone Finish (Black/Gold)
- 135° Split Point
- M2 High Speed Steel DIN338
- Triple Flat Shank

Item Number	Size	Flute Length	Overall Length
TGDB-05-A	A	2-5/8"	3-7/8"
TGDB-05-B	B	2-3/4"	4"
TGDB-05-C	C	2-3/4"	4"
TGDB-05-D	D	2-3/4"	4"
TGDB-05-E	E	2-3/4"	4"
TGDB-05-F	F	2-7/8"	4-1/8"
TGDB-05-G	G	2-7/8"	4-1/8"
TGDB-05-H	H	2-7/8"	4-1/8"
TGDB-05-I	I	2-7/8"	4-1/8"
TGDB-05-J	J	2-7/8"	4-1/8"
TGDB-05-K	K	2-15/16"	4-1/4"
TGDB-05-L	L	2-15/16"	4-1/4"
TGDB-05-M	M	3-1/16"	4-3/8"
TGDB-05-N	N	3-1/16"	4-3/8"
TGDB-05-O	O	3-3/16"	4-1/2"
TGDB-05-P	P	3-5/16"	4-5/8"
TGDB-05-Q	Q	3-7/16"	4-3/4"
TGDB-05-R	R	3-7/16"	4-3/4"
TGDB-05-S	S	3-1/2"	4-7/8"
TGDB-05-T	T	3-1/2"	4-7/8"
TGDB-05-U	U	3-5/8"	5"
TGDB-05-V	V	3-5/8"	5"
TGDB-05-W	W	3-3/4"	5-1/8"
TGDB-05-X	X	3-3/4"	5-1/8"
TGDB-05-Y	Y	3-7/8"	5-1/4"
TGDB-05-Z	Z	3-7/8"	5-1/4"

- Stubb Drill Bits, Fractional Sizes
- Black Oxide Finish
- 135° Split Point
- M2 High Speed Steel DIN338
- Triple Flat Shank

Item Number	Size	Flute Length	Overall Length
TGDB-01-0015	1/64"	3/16"	5/8"
TGDB-01-0031	1/32"	1/4"	7/8"
TGDB-01-0046	3/64"	5/16"	1-3/16"
TGDB-01-0063	1/16"	3/8"	1-5/16"
TGDB-01-0078	5/64"	1/2"	1-1/2"
TGDB-01-0094	3/32"	9/16"	1-11/16"
TGDB-01-0109	7/64"	5/8"	1-13/16"
TGDB-01-0125	1/8"	11/16"	1-15/16"
TGDB-01-0140	9/64"	13/16"	2-1/16"
TGDB-01-0156	5/32"	7/8"	2-3/16"
TGDB-01-0171	11/64"	15/16"	2-5/16"
TGDB-01-0187	3/16"	1"	2-7/16"
TGDB-01-0203	13/64"	1"	2-7/16"
TGDB-01-0218	7/32"	1-1/8"	2-5/8"
TGDB-01-0234	15/64"	1-1/8"	2-5/8"
TGDB-01-0250	1/4"	1-1/4"	2-3/4"
TGDB-01-0267	17/64"	1-5/16"	2-15/16"
TGDB-01-0281	9/32"	1-5/16"	2-15/16"
TGDB-01-0297	19/64"	1-7/16"	3-1/8"
TGDB-01-0313	5/16"	1-7/16"	3-1/8"
TGDB-01-0328	21/64"	1-7/16"	3-1/8"
TGDB-01-0344	11/32"	1-9/16"	3-5/16"
TGDB-01-0359	23/64"	1-9/16"	3-5/16"
TGDB-01-0375	3/8"	1-11/16"	3-1/2"
TGDB-01-0390	25/64"	1-11/16"	3-1/2"
TGDB-01-0406	13/32"	1-11/16"	3-1/2"
TGDB-01-0422	27/64"	1-7/8"	3-3/4"
TGDB-01-0438	7/16"	1-7/8"	3-3/4"
TGDB-01-0453	29/64"	1-7/8"	3-3/4"
TGDB-01-0469	15/32"	2"	4"
TGDB-01-0484	31/64"	2"	4"
TGDB-01-0500	1/2"	2"	4"

<b>Air Hose</b>	
Polyurethane . . . . .	36
PVC Assemblies . . . . .	36
Self-Storing . . . . .	36
<b>Aviation Snips</b>	. . . . . 27
<b>Barricade Tape</b>	
Boxed . . . . .	6
Bulk . . . . .	6
<b>Brass Ball Valves</b>	
Locking Handle . . . . .	37
Standard 37	
<b>Cable Ties</b>	. . . . . 46-47
<b>Calipers</b>	
Digital	
IP54 . . . . .	33
Plastic . . . . .	33
Stainless . . . . .	33
<b>Carbide Burrs</b>	
Double Cut . . . . .	59
Long Shank . . . . .	60
Minatare . . . . .	60
Non-Ferrous . . . . .	60
Sets . . . . .	61
<b>Casters</b>	
Elastic Rubber . . . . .	55
Polyurethane . . . . .	55
Phenolic . . . . .	56
Polyolefin . . . . .	
56	
<b>Chemicals</b>	
Aerosol . . . . .	42
<b>Coveralls</b>	
50 GSM . . . . .	7
60 GSM . . . . .	7
Fire Spreading Resistant . . . . .	7
<b>Delineator Posts</b>	. . . . . 5
<b>Dial Indicators</b>	. . . . . 33
<b>Drill Bits</b>	
Jobber	
Fractional . . . . .	63
Letter . . . . .	65
Number . . . . .	64
Prentice . . . . .	62

Sets	
<b>Drill Bits</b>	
Sets	
Black Oxide . . . . .	61
Number . . . . .	61
Prentice . . . . .	62
Two-Tone . . . . .	61
Stubb	
Fractional . . . . .	65
<b>Flagging Tape</b>	. . . . . 6
<b>Flashlights</b>	. . . . . 41
<b>Garbage Bags</b>	. . . . . 43
<b>Gloves</b>	
Coated . . . . .	9-11
Cotton . . . . .	16-17
Disposable . . . . .	8
Leather . . . . .	13-16
Mechanics . . . . .	12
PVC . . . . .	11
Welding . . . . .	18-19
Work . . . . .	12
<b>Hand Cleaner</b>	
Orange Pumice . . . . .	47
Pink Lotion . . . . .	47
<b>Hand Trucks</b>	. . . . . 57
<b>Hex Keys</b>	
Ball-End . . . . .	28
Standard . . . . .	28
<b>Hole Saws</b>	
Individual . . . . .	31
Kits . . . . .	31
<b>Hooks</b>	
Grab . . . . .	58
Slip . . . . .	58
<b>Hose Clamps</b>	. . . . . 36
<b>Ice Scraper</b>	. . . . . 40
<b>Levels</b>	
I-Beam . . . . .	29
Laser . . . . .	29
Standard . . . . .	29
Torpedo . . . . .	29
<b>Link Chain</b>	. . . . .
Grade 30 . . . . .	58

Grade 70	58
<b>Magnetic Pickup</b>	34
<b>Mechanics Vise</b>	42
Parts	42
<b>Micrometers</b>	33
<b>Paint Brushes</b>	
Angular	44
Chip	45
Econo	44
Flat	44
Foam	45
Straight	44
<b>Pallet Truck</b>	57
<b>Pliers</b>	
Bent Nose	26
Diagonal Cutters	26
Linesman's	26
Locking Jaw, Curved	26
Long Nose	26
Slip Joint	26
Tongue & Groove	26
<b>Pneumatic</b>	
Die Grinders	
45 Angle	35
Mini	35
Standard	35
<b>Pry Bar</b>	27
<b>Rainwear</b>	
Fire-Retardent	7
<b>Rakes</b>	40
<b>Respirator Masks</b>	
Dust	1
N95	1
<b>Rope, Poly</b>	51
<b>Safety Glasses</b>	2-3
<b>Safety Vests</b>	
Harness	4
Vests	3-4
<b>Screwdrivers</b>	28
<b>Shovels</b>	
All-Purpose	38
Grain Scoop	38
Round Point	38

Square Point	38
<b>Shovels</b>	
Winter	39
<b>Silicone</b>	
General Purpose	43
Hi-Temp	43
<b>Slings</b>	
Round	53-54
Web	52-53
<b>Sockets</b>	
Deep Impact	21
Standard Individual	20
Standard Sets	20
<b>Straps</b>	
Ratchet	51
Winch	54
<b>Tape Measures</b>	30
<b>Tape, PTFE</b>	43
<b>Tarps</b>	
Heavy Duty	50
Leno	50
Light Duty	48
Medium Duty	49
<b>Tins Snips</b>	
27	
<b>Traffic Cones</b>	
18"	5
28"	5
Bar	6
<b>Utility Bar</b>	27
<b>Utility Knife</b>	
Blades	32
Heavy-Duty	32
Standard	32
<b>Worklight, LED</b>	41
<b>Wrecking Bar</b>	27
<b>Wrenches</b>	
Adjustable	25
Combination	
Metric	23
SAE	24
Pipe	
Cast Iron	25

# WWW.TUFFGRADE.CA

For the latest product news and updates  
make sure you visit [www.tuffgrade.ca](http://www.tuffgrade.ca).

[PRODUCTS](#)[FIND DISTRIBUTOR](#)[BLOG](#)[ABOUT](#)[CONTACT](#)

An exclusive line of competitively priced industrial, safety and fluid power products.

Brought to you by the most knowledgeable distributors in the Canadian Market.

[Browse Now](#)

Your Guide to  
**Improving Worker Safety**  
in Industrial Environments

[GET IT HERE](#)

Your Guide to **Optimizing**  
**Costs for Shop Equipment**  
& Supplies

[GET IT HERE](#)

## Product Spotlight



### Ratchet Straps

- Double-J Hooks
- Heavy Duty Ratchet Tie-Down
- Nylon Weave Straps
- Straps: Yellow
- Handle Marked with WLL
- Strap Marked with WLL & BS

[VIEW](#)

### Safety Glasses

- Clear Anti-Fog Lens
- Clear Frame
- CSA Certified Z94.3-07
- Lightweight wrap-around design
- Molded Nose-Piece
- Frameless Polycarbonate lens
- Scratch resistant coating
- Case Quantity: 12

[VIEW](#)

### Casters

- Orange Polyurethane Wheel
- High Density Polyurethane
- Precision Ball Bearings

[VIEW](#)

### 3/8" Drive SAE & Metric Socket Set

- 20" Drive Ratchet, 72 Tooth
- 2 Extension Bars, 1 Universal Joint and 1 Sliding T-Bar

[VIEW](#)

